

Ethical training standards
to protect human rights
and minimise restrictive
practices

Restraint
Reduction
Network (RRN)

**Training
Standards
2018**

James Ridley
Sarah Leitch

DRAFT

British Library Cataloguing in Publication Data

A CIP record for this book is available
from the British Library

© BILD Publications 2018

BILD Publications is the imprint of:

British Institute of Learning Disabilities
Birmingham Research Park
97 Vincent Drive
Edgbaston
Birmingham B15 2SQ

Telephone: 0121 415 6960

E-mail: RRN@bild.org.uk

Website: <http://restraintreductionnetwork.org/>

No part of this book may be reproduced without
prior permission from the publisher, except for the
quotation of brief passages for review, teaching or
reference purposes, when an acknowledgement of
the source must be given.

ISBN 978 1 905218 44 8

Printed in the UK by
Latimer Trend and Company Ltd, Plymouth

Copy editing by Helen Fairlie

Design by Sarah McCall

Contents

Foreword	7
<hr/>	
Introduction	11
<hr/>	
Background	11
Why are the RRN Training Standards required?	12
Aims of the standards	13
Who are the standards for?	14
How have the standards been developed?	15
How to use these standards	16
A rights based framework for training	17
<hr/>	
A human rights approach to restrictive interventions	18
The relationship between legislative frameworks involved in restrictive interventions	21
Being person centred to respect and protect human rights	23

Training standards

27

Section 1	Standards supporting pre-delivery processes	29
Standard 1.1:	Training needs analysis	32
Standard 1.2:	Developing and authorising the content of the training curriculum	34
Standard 1.3:	Independent risk assessment of techniques	36
Standard 1.4:	Committing to the reduction of the use of all restrictive interventions and practices	38
Standard 1.5:	Involving people with lived experience	39
Standard 1.6:	Agreeing delivery plans	40
Standard 1.7:	Providing accessible information	41
Standard 1.8:	Responding to concerns and complaints	42

Section 2	Standards supporting curriculum content	43
Standard 2.1:	Placing the curriculum within a rights based framework	45
Standard 2.2:	Duty of candour and duty of care	47
Standard 2.3:	Attitudes and attributions	47
Standard 2.4:	Considered decision making	48
Standard 2.5:	Primary and preventative strategies	50
Standard 2.6:	Teaching secondary strategies	51
Standard 2.7:	Teaching non-restrictive tertiary strategies	52
Standard 2.8:	Teaching restrictive tertiary strategies	53
Standard 2.8A:	Use of mechanical restraint	57
Standard 2.9:	Factors that contribute to risk and elevated risk	59
Standard 2.10:	Emergency procedures	60
Standard 2.11:	Identifying the range of restrictive practices	61
Standard 2.12:	Use of data to inform minimisation	62
Standard 2.13:	Post-incident support, review and learning	63
Standard 2.14:	Trauma informed care and support	65
Standard 2.15:	Restraint reduction theory	66

Section 3	Standards supporting post-delivery processes	67
Standard 3.1:	Competence, assessment and feedback	68
Standard 3.2:	Record keeping	70
Standard 3.3:	Reporting concerns	71
Standard 3.4:	Evaluation	72
Standard 3.5:	Quality assurance	73
Standard 3.6:	Refresher training	74
Section 4:	Trainer standards	75
Standard 4.1:	Quality assurance	76
Standard 4.2:	Training competence	76
Standard 4.3:	Professional competence	77
Standard 4.4:	Delivering relevant content	79
Standard 4.5:	Insurance	80
Standard 4.6:	Safety	80
Standard 4.7:	Professional development	82
	Appendices	83
	Glossary	155
	References	161
	Acknowledgements	169

Foreword



You may not know us, but we want to tell you about something very personal that shattered our lives and changed our family forever.

This is a photo of our son Seni with his grandmother. Everything you need to know about him is here in this beautiful picture. He was our baby and a gentle giant. He hated bullying and was always looking out for the less able and vulnerable people in society.

Seni was just 23 years old – an IT graduate – when he died in hospital on 3 September 2010. He died because of prolonged restraint, when he was held down by 11 police officers while he was a patient in a mental health hospital.

Seni had never had any mental health issues before, but over that bank holiday weekend in 2010 he seemed agitated and his behaviour became odd. We took him to A&E and, after an assessment, we were told to take him to Bethlem Royal Hospital. We took him there, to what we thought would be the best place for him to get help.

Seni agreed to stay overnight at the hospital as a voluntary patient. We were asked to leave him at the end of visiting hours, and we did so reluctantly. Shortly afterwards, he became agitated when he was stopped from leaving the hospital because he wanted to come home. The hospital staff 'sectioned' him and called the police who came and agreed to take Seni to a seclusion room in the hospital. He was co-operative until he stopped at the threshold of the seclusion room. As soon as he stopped, the police officers pushed him inside and forced him face down to the floor.

The police officers held Seni face down, shackled his hands with two sets of handcuffs and put his legs in two sets of restraints. They held him down like that over a period of some 45 minutes altogether, in a restraint they knew was dangerous, until he went limp. And even then, instead of treating him as a medical emergency, they simply walked away: they believed he was faking it! They left our son on the floor of a locked room, all but dead. All of this happened in the presence of hospital staff including nurses and a doctor who stood by and looked on, unable or unwilling to intervene. Seni never regained consciousness and died four days later. That is how we lost our beloved son.

At the inquest into his death, the jury found Seni died as a result of excessive, disproportionate and unreasonable restraint and force. To this day, we struggle to comprehend that our son died as he did, simply because those who were responsible for his care – police officers and medical staff alike – failed in their duty to treat him with the respect that he deserved as a human being.

In a signed statement after these events, one doctor described how the officers treated our son: 'I felt like it wasn't a human being that they were trying to restrain ... it was like trying to contain an animal ... after they had tied him up with the straps it seemed like when a hunter has tied the animal ... it was an uneasy feeling that I had that it was not a human being that they were restraining'. That is how he was seen and treated at that point: as an animal, rather than a petrified young man, terrified at the prospect of being put in a padded seclusion room.

We don't want anyone else to go through this. We have been fighting for over eight years to get answers and justice for Seni. Now, through initiatives in his name – such as Seni's Law, a parliamentary bill with cross party support designed to open up the system to greater transparency and accountability to stop the disproportionate use of force and restraint – we feel that our son may not have died in vain. If we can make sure this never happens to anyone else, that would be an amazing legacy for Seni.

That is why we are really pleased to see the publication of these new standards, but this must be just the beginning. There is so much more to do in view of the increasing number of deaths in the context of restraint. In addition to health, education and social care services, we need to get law enforcement agencies involved in these standards concerning the use of restraint. We need to ensure these standards are not just implemented, but also regulated. And we need to make sure that the use of force and restraint is not just reduced but prevented altogether when dealing with vulnerable individuals who may find themselves in Seni's position in the future.

Aji and Conrad Lewis

DRAFT

Introduction

Background

There have been too many shocking scandals exposing the institutionalised abuse of people with mental health conditions, dementia, learning disabilities, and autistic people, by those who are meant to be supporting them. These scandals often involve the unnecessary and inappropriate use of restrictive interventions, with a number of cases resulting in death.

The culture in too many services focuses on management (of behaviour or risk) rather than prevention (and better meeting needs). Staff are often given the skills to use and apply restrictive interventions (such as physical restraint and seclusion) but often without the skills or understanding to prevent or de-escalate crisis situations.

If training places little or no emphasis on prevention and de-escalation, staff will understandably revert to restrictive interventions as a first resort, resulting in an over reliance on restrictive interventions in many services. The over reliance on restrictive practices can result in a toxic culture characterised by the cycle of trauma for both staff and patients (Paterson, 2013).

It is therefore vital that all services sufficiently understand and apply the principles of restraint reduction. However, minimising the use of restrictive practices and interventions is only one part of ensuring that vulnerable adults and children have a good quality of life. Providing therapeutic environments where treatment and recovery can take place is essential. As well as a safe comfortable environment to live in, people also need choice, control, supportive relationships, interesting things to do and learn, and opportunities to be involved in community activities. These are fundamental elements of good quality preventative support and these are the same things we would want for ourselves and our own families.

Why are the RRN Training Standards required?

Typically, restrictive interventions are used by staff, carers or family members with the intention of averting harm, minimising the potential for pain or injury and/or to facilitate some form of treatment or therapeutic intervention.

There are a number of organisations providing training in supporting people in crisis, and there is a range in the quality of their provision. The lack of quality assurance and oversight of training programmes means that staff can be trained to use a range of restrictive interventions that may not necessarily be appropriate or properly risk assessed for use. Employers are responsible for ensuring their staff have the skills they need, but if staff do not receive sufficient training in preventative approaches they are more likely to use restrictive interventions as a first resort, rather than as a last resort, which then results in an over reliance on restrictive interventions.

To be in the position of being restrained or to be part of a team that is implementing a restraint is likely to be traumatising. It is also important to remember that many of the people who come to be in a position where they are restrained (and even some of the staff carrying out the restraint) may already have a history of trauma and this experience can be re-traumatising. Sensitivity to this is crucial as, if not recognised, the situation could quickly escalate.

Such practices can restrict a person's liberty, but the frightening, overwhelming and traumatising nature of this experience can amount to degrading treatment, which is never lawful. Training that includes restrictive interventions is potentially dangerous and distressing for everyone involved and therefore quality standards are essential.

'Physical restraint can be humiliating, terrifying and even life-threatening. It should only be used as the last resort, when there is no other way of de-escalating a situation where someone may harm themselves or others' (Campbell, 2018).

Some of these techniques may be employed against some degree of active (physical) resistance. This can result in potentially damaging stresses being imposed upon systems and structures such as the respiratory system, heart, joints and muscles (Aiken et al, 2011). Any restrictive intervention must be based on an assessment that intervention is likely to cause less harm than not intervening.

Eliminating inappropriate use of restraint is vital in relation to children, who are still developing both physically and emotionally and for whom any potentially traumatic experience at this formative stage in their development could be very damaging and have long term consequences.

Aims of the standards

The standards have been developed in response to the growing awareness amongst government departments (and arm's length bodies), who have come together to address this issue, that some of the existing training may not be of an adequate quality to maximise the safety of people who are distressed or of the staff who have the difficult task of supporting them. In addition, such training is not always provided in a context where minimisation of restrictive practices is a priority.

The standards will provide a national and international benchmark for training in supporting people who are distressed in education, health and social care settings.

When the standards refer to restraint reduction or minimisation it is in the context of a shared commitment and belief that the use of **all** restrictive interventions and practices should be minimised.

These standards will ensure that training is directly related and proportional to the needs of populations and individual people. They will also ensure that training is delivered by competent and experienced training professionals who can evidence knowledge and skills that go far beyond the application of physical restraint or other restrictive interventions.

In addition to improving training and practice, the standards will:

- protect people's fundamental human rights and promote person centred, best interest and therapeutic approaches to supporting people when they are distressed
- reduce reliance on restrictive practices by promoting positive culture and practice that focuses on prevention, de-escalation and reflective practice to minimise use of restrictive practices
- increase focus on prevention, understanding of the root causes of behaviour and recognition that many behaviours are the result of distress due to failing to meet needs
- improve staff skills and confidence in how to keep people safe in crisis and to better understand how to meet people's needs in order to prevent crisis situations
- improve the quality of life both of people at risk of being restrained and those supporting them
- where required, focus on the safe use of restrictive interventions including physical restraint

Who are the standards for?

This document provides cross sector quality standards for training providers who are delivering training programmes where restrictive interventions are included in the curriculum. They can be applied to services

- across education, health and social care
- across children and adult services
- across the UK and internationally
- for people with mental health conditions, dementia, learning disabilities and autistic people

Staff must have face to face training in preventative/primary strategies and secondary strategies before they are taught to use restrictive interventions. In some organisations it may be more appropriate that a different training provider manages the face to face training in preventative models, for example Safewards, Positive Behaviour Support.

The standards apply to all training providers, including:

- commercial training providers who deliver training to a range of organisations
- in-service training providers who develop and deliver the training within their own organisation and may or may not deliver training to other organisations such as other NHS trusts

These standards are mandatory for all training with a restrictive intervention component that is delivered to NHS commissioned services for people with mental health conditions, learning disabilities, autistic people and people living with dementia in England.

The standards apply across the lifespan. However, it will be vital that a developmental perspective is taken and that the fragility of some individuals is given proper consideration – for example, pre-pubescent young people, teenagers with severe eating disorders, and those who are living with dementia and at end of life who often have significant weight loss.

Whilst these standards focus on training, it is important to recognise the significant responsibilities of service providers in ensuring these principles are applied in practice and a positive culture of care and support is promoted. Training alone is not human rights based and sufficient to facilitate cultural change. Therefore these standards complement new guidance for service providers in minimising restrictive interventions: *Towards Safer Services* (DoH, in development). There is an important role for the regulator in ensuring services implement these standards.

The implementation, embedding and maintenance of these standards will also be viewed by regulators and inspectors, as well as concerned family members, to be indicative of an organisation committed to best practice and characterised by therapeutic care and support.

Although the standards are designed primarily to support training providers, they will also be useful to:

- commissioners of training
- commissioners of services
- regulators of services
- individuals who have lived experience of services or who are currently receiving services
- families, carers and advocates

How have the standards been developed?

Minimising the use of restrictive practices is a priority for the NHS and a significant focus within adult health and social care in the UK.

The Restraint Reduction Network (RRN) have worked with Health Education England (HEE) to develop training standards to apply across NHS commissioned services in order to improve patient safety. These standards have been developed under the oversight and scrutiny of the National Steering Group for the Restraint Reduction Network. The steering group includes representation from government departments, professional bodies and regulators, as well as charitable organisations and representatives who have lived experiences of services and professionals with significant expertise in this area. The Restraint Reduction Network is a charity and a subsidiary of BILD.

The standards will be updated at least every three years and will be informed by policy, research and advances in practice development relating to prevention and management of distress or concerning behaviours. This edition focuses primarily on physical and environmental restraint. The next edition will increase the focus on chemical restraint. *For more information on (UKAS accredited) certification of compliance with the standards please visit the RRN website.*

How to use these standards

The first part of this document is a rights based framework, in which all training must be delivered. Training providers seeking certification for their programmes will need to use the framework when designing their curriculum.

The curriculum standards focus on the fundamental principles across all settings and populations. These include prevention, de-escalation, reactive strategies and recovery.

There are specific standards to ensure that trainers have the appropriate levels of expertise, experience and competence.

There are also a number of appendices which document any specific considerations or adaptations to the standards that should be taken into account for different populations or settings.

Any text in **bold** or regular text font is a requirement of the standard and is therefore mandatory, and *any text in italics offers extra explanation or guidance.*

A rights based framework for training

This section covers the overall context and framework of law and values within which any training in the use of restrictive interventions must be provided.

Contents

A human rights approach to restrictive interventions

The relationship between legislative frameworks involved in restrictive interventions

Being person centred to respect and protect human rights

Training must be provided with clear reference to supporting an overall human rights based approach, focused on the minimisation of the use of restrictive interventions, and ensuring any use of restrictive interventions and other restrictive practices is rights-respecting.

Human rights apply to any person receiving care and treatment, and these rights must be at the centre of decision-making. The Human Rights Act (1998) applies to all public authorities, and all training must be informed by the legal duties of staff to respect and protect these human rights. Training must also make clear that human rights apply to the person's family and carers, and others receiving treatment (eg patients on a ward) and staff involved in the person's care and support.

The training must support the reduction of the use of restrictive interventions and ensure consideration of alternative responses to distress or behaviours of concern, including a focus on prevention and secondary responses such as de-escalation.

Any use of lawful restrictive intervention must be rights-respecting. This means it must not cause harm, including unintended harm, which amounts to degrading treatment, which is never lawful (see Article 3). All reasonable steps must be taken to protect a person's right to life, including stopping the use of an intervention or intervening to protect a person from themselves or others; failure to protect life is likely to be unlawful (see Article 2). Importantly, a human rights approach also means involving the person in decision making and taking the least restrictive option (see Article 8).

It is required that training will make clear that some rights cannot be interfered with (whether by restrictive intervention or otherwise) and some can be interfered with, provided the correct balancing exercise has been undertaken. This balancing exercise will be important to ensure proper consideration of the rights of all people involved in restrictive interventions, including staff.

Restrictive practices, including physical restraint, can be characterised as an exercise of power over another individual. In order to ensure this power is never abused, comprehensive safeguards must always be in place. It is essential that such safeguards eliminate any risk of discrimination, harassment or victimisation.

Organisations must ensure that no individual is exposed to any restrictive practice because of their age, mental health status, mental capacity, physical impairment, race/ethnicity, religion and belief, gender (including trans-gender), HIV/AIDS status, sexual orientation, political opinion, socio-economic background, spent convictions, or on any other grounds which are irrelevant to a decision-making process leading up to any application.

The following will also be important in supporting a rights based approach:

- understanding which human rights cannot, and which can, be lawfully interfered with by staff, including in situations where restrictive interventions are used
- understanding the positive obligation of staff to take action to protect human rights, including safeguarding against serious harm arising from the use of restrictive interventions
- respecting people's right to autonomy (see Article 8) by assuming capacity and ensuring involvement in care decisions, including ascertaining current/previous/future views on the use of restrictive interventions
- using restraint as a last or emergency response to a risk of serious harm
- treating distress or behaviours of concern as communicative acts and exploring what this means for the person to help avoid the use of restrictive interventions
- identifying the risks associated with restrictive interventions including, but not limited to, children who are developing physically and psychologically
- understanding the impact of trauma (historic or otherwise) on an individual's mental and physical health and therefore their experience of restrictive interventions – this will be especially important in determining whether an intervention risks being degrading, and is therefore unlawful
- considering the impact of restrictive interventions on an individual's physical and mental health, their development and/or recovery, including how this may affect those with sensory processing differences, eg autistic people
- commitment to co-production with individuals with lived experience in the planning, development and delivery of care and treatment
- commitment to ensuring people's needs to participate in decisions are met, eg access to interpreters, appropriate information, advocates, etc
- avoiding blanket policies or standardised responses that do not allow consideration of the person's situation
- demonstration of processes and practices to avoid or minimise the use of restrictive interventions

Training organisations must show how they have embedded a rights based approach within their curriculum. One example is the 'PANEL' framework (Donald, 2012; BIHR, 2013) which supports using a rights based approach:

- **P**articipation
- **A**ccountability
- **N**on-discrimination
- **E**mpowerment
- **L**egality

See also BIHR's guide *The Difference It Makes: Putting Human Rights at the Heart of Health and Social Care* (2013) which explains the benefits of using a rights based approach, using PANEL (available at www.bih.org.uk/differenceitmakes)


DRAFT

The relationship between legislative frameworks involved in restrictive interventions

Training must ensure that the relationship between the Human Rights Act and other legal frameworks relevant to the use of restrictive interventions is understood and those laws are applied in a way that is compatible with the person's rights.

Training must make clear reference to how the Human Rights Act 1998 and other key legislation work together in practice. Essentially, other legislation should be interpreted and applied in a way that is compatible with people's human rights. Figure 1 (BIHR, 2016) illustrates how the Human Rights Act operates as a foundation for other law, policy, guidance and practice.

Figure 1: **The Human Rights Act 1998 as a foundation for other law, guidance and practice**



The following legislative frameworks must be included in training, as they may provide legal authority to interfere with a person's rights when restrictive interventions are being used in situations, or may otherwise be relevant:

- ✦ Mental Health Act 1983 (amended 2007)
- ✦ The Children's Act 1989 (as amended) and the Children and Families Act 2014
- ✦ Criminal Law Act 1995
- ✦ Criminal Justice Act 1995
- ✦ Adults with Incapacity (Scotland) Act 2000
- ✦ Mental Health (Care and Treatment) (Scotland) Act 2003
- ✦ Mental Capacity Act 2005 (including Deprivation of Liberty Safeguards (DOLS) or its equivalents)
- ✦ Equality Act 2010
- ✦ The Care Act 2014
- ✦ Mental Health Act Code of Practice 2015, Chapter 26
- ✦ Mental Capacity Act (Northern Ireland) 2016. NB: at the time of publication not all sections of this Act had entered into force, so this should be re-checked at the time of delivering training

Training must also include relevant devolved legislation and/or legislation focused on specific groups of people.

Training must be person centred, focusing on the human rights of the person involved in the use of the restrictive intervention, preventing unlawful breaches of rights, and taking positive steps to protect rights.

A person's wishes and feelings must be respected. Human rights law, together with mental capacity law, starts from the presumption that people have the capacity to make decisions about their own care and treatment. Where there are doubts about a person's capacity to make a specific decision, a mental capacity assessment must be conducted, and if needed a substituted decision can be made following a best interests assessment. However, the rights of that person to have their wishes and feelings considered during this process remain central and this process must be clearly recorded in their care plan. Even where a Mental Capacity Act assessment finds a person does not have capacity to make a specific decision (eg about treatment or refusal of treatment), the law requires respect for their right to autonomy (see Article 8). This means ensuring participation and involvement as far as possible, which may include providing specific support, eg interpreters, information in specific formats, etc. This will be important when staff are deciding whether or not to use a restrictive intervention, determining the least restrictive option, and how to make interventions. Training must make it clear that compliance with the Human Rights Act 1998 means both:

- refraining from taking action which unlawfully breaches rights, eg not using restrictive interventions that cause serious harm and safety risks (Article 3), and
- taking positive steps to protect rights, eg using proportionate restrictive measures (Article 8) to protect someone in care from taking their own life (Article 2)

The Human Rights Act 1998 sets out 16 rights ('Articles') which belong to all people in the UK in all situations. Training is expected to cover those Articles likely to be relevant to the use of restrictive interventions, for example:

Rights which cannot be lawfully restricted (including by use of restrictive interventions):

- The right to life (Article 2): in health and care settings this right is absolute; any restrictive intervention that compromises this right will not be lawful
- The right to not be treated in an inhuman or degrading way (Article 3): the use of some restrictive interventions may breach this right, including where serious physical or mental harm results either deliberately (abuse) or where it is not intended (neglect). The focus is primarily on the impact on the individual rather than the intentions of staff

**Rights which can be lawfully restricted
(including by use of restrictive interventions):**

- The right to liberty (Article 5): whether this right can be restricted will depend on the legal basis for the action (see standard 1.2) and ensuring that the safeguards in the right have been met (eg knowing why liberty is being restricted and being able to challenge the decision)
- The right to respect for private and family life (Article 8): this ensures a person's physical and mental wellbeing and their personal autonomy, including involvement in care and treatment decisions. Restrictive interventions can significantly interfere with this right; this will only be permissible if actions are: (1) permitted by a legislative framework; (2) for a legitimate aim set out in the right way (usually protecting the person or others); and (3) proportionate (ie least restrictive option)

Rights of children:

- The United Nations Convention on the Rights of the Child (UNCRC) ensures all children have the right to be heard and protected from harm and provides guidance for best interests test

Rights of people with disabilities:

- The United Nations Convention on the Rights of Persons with Disabilities (UNCRPD) Article 12 ensures equal opportunities of people with disabilities to exercise their legal capacity and rights to liberty as well as freedom from degrading treatment and exploitation

Non-discrimination:

- The right to not be discriminated against in relation to the above human rights (Article 14): this could include use of restrictive interventions which restrict liberty for discriminatory reasons, eg on the basis of ethnicity, age or other status, and any combination of these characteristics. The Equality Act also protects against discrimination on the basis of one (not a combination) of nine protected characteristics (all also covered by human rights law). Additionally, the Equality Act also sets out the public sector equality duty on services to consider how their policies and decisions affect people who may be discriminated against due to one of the nine protected characteristics (EHRC). See: <https://bit.ly/2IDW6ZN>

Training must make reference to contexts in which the use of a restrictive intervention may or may not be a lawful restriction on a person's human rights. For example:

- The right to liberty may be restricted if permitted by law for the purposes of mental health/capacity care (Article 5, Schedule 1, Human Rights Act 1998). The Mental Capacity Act 2005 can provide authority for restraint under Section 6, where (a) a person lacks capacity and (b) it is reasonably believed to be necessary and proportionate to protect them from harm. Additionally, Chapter 26 of the *Mental Health Act Code of Practice* (England and Wales) sets out guidance related to the use of restrictive practices for people detained under the Mental Health Act 1983 (Department of Health, 2015)

Opportunities for discussion and analysis of scenarios related to the use of restrictive interventions in a range of settings must be provided in any training, and the potential impact of this on a person's human rights must be explored. Examples covering various service models and the relationship between human rights, mental health and mental capacity law can be found in the British Institute of Human Rights (BIHR) *Practitioner Toolkit Series* (BIHR, 2016b), <https://bit.ly/2OysAKe>

DRAFT

Training standards

The next four sections cover the process from engagement with an organisation to development of the curriculum, its delivery and the cycle of feedback afterwards. Figure 2 (on page 31) displays this process.

Training providers must show that they have a process which meets the standards and they must be able to provide evidence needed at all the different stages.

Section 1: Standards 1.1–1.8

These standards cover the part of the process that needs to be completed before a curriculum is developed.

Section 2: Standards 2.1–2.18

These standards cover what must be included in the curriculum.

Section 3: Standards 3.1–3.6

These standards relate to post-delivery processes.

Section 4: Standards 4.1–4.7

These standards relate to trainers standards.

DRAFT

Section

1

Standards supporting pre-delivery processes

Standards 1.1–1.8. cover the part of the process that needs to be completed before a curriculum is developed and authorised.

Alongside these standards, please refer to Figure 2 (on page 31), which depicts the process for the commissioning, development, delivery and review of training with a restrictive intervention component, and/or any training in breakaway techniques.

Standards

Standard 1.1:	Training needs analysis
Standard 1.2:	Developing and authorising the content of the training curriculum
Standard 1.3:	Independent risk assessment of techniques
Standard 1.4:	Committing to the minimisation of use of all restrictive interventions and practices
Standard 1.5:	Involving people with lived experience
Standard 1.6:	Agreeing delivery plans
Standard 1.7:	Providing accessible information
Standard 1.8:	Responding to concerns and complaints

Figure 2: Process for the commissioning, development, delivery and review of training with a restrictive intervention component




Figure 2 illustrates the process for the development, delivery and review of training. It shows how the commissioning organisation and the training provider should work together to ensure all training is safe and designed to meet the needs of the people being supported by the commissioning organisation and the people who are receiving the training. Both parties must be responsible for ensuring the training is developed and delivered within a framework that is person centred and minimises the use of restrictive practices and that there is evidence that the training is monitored, reviewed at a minimum annually and adjusted where needed.

In the commissioning organisation the named person responsible for restraint reduction is usually the restrictive practices reduction lead or the lead trainer. In the training organisation this is the person who engages with the commissioning organisation and is responsible for developing the written proposal and agreeing the curriculum with the named person in the commissioning organisation. Both people are responsible for the annual review of the curriculum.

Where training is both developed and delivered in-house, the same process of development, delivery and review must be followed although there may only be one named person.

Standard 1.1

The curriculum must be based on a training needs analysis (TNA) which must be completed by the commissioning organisation before the curriculum is developed and delivered.

1.1.1 As part of the commissioning process the training provider must request a training needs analysis (TNA) from the commissioning organisation.

The TNA must include the current needs and risks posed to everyone based on current evidence and the past two years of incident data. It must be authorised by someone in the commissioning organisation who holds responsibility for restrictive intervention governance and reduction.

In some cases the training provider will need to support the commissioning organisation to complete the TNA as part of the commissioning process or may need to request extra information. A TNA checklist can be found here <https://bit.ly/2Rqe8T1>

1.1.2 The data that training providers request and receive from the commissioning organisation must be managed in line with the Data Protection Act 2018 (the UK implementation of the General Data Protection Regulation (GDPR)). Any data relating to specific individuals must be in an anonymised form.

1.1.3 The training provider must ensure that the curriculum takes account of elevated risks to populations and individuals.

The training provider must ensure any and all restrictive interventions take into account any known factors that may cause an elevated risk of harm at population and service level, and that 'arrangements' are in place to ensure that any known risks are considered at the individual level.

Therefore agreement must be reached between the training commissioner and the training provider about how the information needed to support this process is transferred from one to the other. An anonymised summary of information must be received as part of the TNA. This should include any population or person-specific characteristics for people who are likely to be in receipt of restrictive interventions by the staff undergoing training. As a minimum, this information must include:

- range of age, gender identity, cultural heritage, diagnosis
- any known sensory processing issues that may elevate the risk of harm to a person if a restrictive intervention is used
- any known physical characteristics or health problems that may elevate the risk of harm to a person if a restrictive intervention is used
- any known emotional or psychological characteristics or current and potential issues and problems that may elevate the risk of harm to a person if a restrictive intervention is used. This should include, if known, reference to any past trauma
- any known developmental issues that may elevate the risk of harm to a person if a restrictive intervention is used

A good practice checklist for personalised wellbeing risk assessments for use by commissioning organisations can be found at: <https://bit.ly/2Rqe8T1>

1.1.4 The training provider must receive the TNA from the commissioning organisation at least one month before delivery of the training.

Standard 1.2

A named person in the training provider organisation must develop a written proposal for a curriculum including the rationale for teaching specific restrictive interventions.

1.2.1 The training provider (a named person) must develop a written proposal for the curriculum that covers both theory and practical elements.

If restrictive interventions are being taught, participants must have completed a minimum of two days' training (12 hours) in the underpinning theory, including training in preventative and secondary strategies, as specified in [standards 2.1–2.15](#), prior to participating in a practical, physical skills training session. The majority of these two days must be face to face to ensure that discussion and demonstration can take place, and blended learning could be considered for some elements where it enhances understanding. Training providers must be able to evidence that the training methods they choose are effective in supporting learning and cultural change. Participants must not be taught to use restrictive interventions unless they have received prior training in primary preventative strategies.

In some cases, training that covers primary preventative strategies (see [standard 2.5](#)) will be covered on separate training courses, for example, Safewards or Positive Behaviour Support. In this case the underpinning theory requirement can be reduced to a minimum of one day (6 hours) but must include all elements of theory specified in [standards 2.1 to 2.15](#) with the exception of [standard 2.5](#).*

In some cases training may be delivered as part of a modular programme.

* Skills for Care are currently developing an endorsement framework for Positive Behaviour Support training

1.2.2 The proposal must be based on information in the TNA provided by the commissioning organisation.

The written proposal must include as a minimum:

- who the training is intended for
- aims, objectives and learning outcomes for each programme
- training methods
- timings
- assessment methods

- rationale that justifies the inclusion of each restrictive intervention in the programme. This may be in any format but must include the following as a minimum (<https://bit.ly/2Rqe8T1>):
 - name and description of restrictive intervention (diagram or photo)
 - rationale for use (why and in what situation)
 - how the intervention will be taught to staff and how competence will be tested
 - general safety issues for staff during teaching and practice
 - any person specific safety issues for staff during teaching and practice (where information has been provided, and adjustments need to be made)
 - any issues that may compromise the fidelity of the technique between the taught version in the classroom and its application in practice. This must include a description of how any identified issues may compromise both safety and effectiveness
 - general safety guidelines, supporting those restrictive interventions authorised for use at population level
 - person centred safety guidelines, supporting personalised restrictive interventions
 - a statement that the restrictive intervention must be used as taught and not modified, unless authorised by the training provider

1.2.3

The training provider must also provide a ‘training information sheet’ that must be made available to participants in advance. It must include:

- an overview of the theory training
- an overview of the practical training, including the length of the session
- a brief description of the nature of the training sessions, and any specific physical requirements – for example, most techniques are passively practised in a standing or occasionally seated position, or there is a requirement for learners to be able to move from a kneeling to standing position during one procedure
- any specific requirements in terms of suitable clothing or footwear
- how to find out any more information prior to the training taking place

Standard 1.3

Any physical restraint technique that is included in the curriculum must be risk assessed by an independent professional or organisation with relevant expertise.

1.3.1 The training provider must ensure that the commissioning organisation receives a current risk assessment for each physical restraint being taught.

1.3.2 The individual or organisation commissioned to complete the risk assessment on behalf of the training provider must be able to demonstrate that they are competent and experienced in order to make an accurate determination of the risks, as they relate to the specified population.

The risks identified must include:

- moving and positioning/manual handling risks
- physical and physiological risks
- psychological risks

The experience and competencies required may be held by one individual or distributed across a team who each contribute to the final risk assessment.

1.3.3 The risk assessment for each physical restraint must be reviewed every two years minimum, and any time that an adaptation is made to it, or a risk assessment is requested in the context of an investigation. Records of reviews must be documented.

1.3.4 The risk assessment for each physical restraint must ensure the suitability of the physical restraint for the population it is intended for.

The risk assessment for each physical restraint must record any potential of risk in the following areas:

- psychological or emotional harm, as well as reference to potential risk factors such as prior trauma experiences
- physical harm, as well as reference to any general potential risk factors such as illness, impairment or injury, or issues specific to a named individual which may elevate risk

- restricted breathing, as well as reference to any general potential risk factors such as obesity, positioning and intoxication or issues specific to a named individual which may elevate risk
- circulation, as well as reference to any general potential risk factors such as limb position and bodyweight being used to hold someone, or issues specific to a named individual which may elevate risk
- joint functioning, as well as reference to any general potential risk factors such as the hyperextension and hyperflexion of joints, and the unauthorised adaptation of techniques or issues specific to a named individual which may elevate risk

Safety guidance accompanying risk assessments must:

- ensure that any physical restraint avoids vulnerable parts of the body (such as neck, chest and sexual areas)
- emphasise the need to minimise absolutely the time any individual is subject to any form of restraint
- include recommendations on the level and type of observation that accompanies any application and post-application monitoring period. These may include personalised protocols in the event that an individual's personal characteristics and/or personal history elevate risks
- describe the signs of distress which should be actively monitored for. These may include personalised protocols in the event that an individual's personal characteristics and/or personal history elevate risks
- describe those aftercare arrangements that are required to maximise recovery and minimise any potential traumatising effects of any restraint

1.3.5

Appointed trainers must have access to authorised information about the risks or elevated risks for any restrictive interventions they are teaching. *This may include anonymised information, as well as risk assessments supporting the use of restrictive interventions at both population level and person centred level (standard 1.1.3).*

1.3.6 **Training providers must ensure that all physical restraint included in the curriculum complies with guidance relevant to country, setting and population (see appendices 17–20). Evidence must be provided as through the self assessment process to show that the training covers any specific adaptations to the standards or special considerations.**

1.3.7 **These standards do not support the use of pain to gain compliance. Training providers must not include the teaching of any restrictive intervention that uses pain to force an individual to comply (see also appendices 21A and 21B).**

Standard 1.4

Training must be provided within the context of an explicit commitment to the reduction of all restrictive practices.

1.4.1 **Training providers must ensure that they are clear in all their communications with any commissioning organisation, ensuring that training is provided within the context of reduction (see glossary).**

1.4.2 **Training providers must use feedback from training programmes as part of both a continuous review and the annual review process.**

1.4.3 **Training providers must review the rationale and continuing need for specific interventions to be included in the programme with the commissioning organisation at a minimum annually and each time the TNA is reviewed.**

1.4.4 **Training providers must have a restraint reduction plan which details measurable outcomes and actions that support the reduction of the use of restrictive practices.**

The plan must be updated at least annually and shared with commissioning organisations. *Restraint reduction resources, including six core strategies and self-assessment tools, are available at <https://bit.ly/2Rqe8T1>*

Standard 1.5

Training providers must ensure that people with lived experience are involved in the development and delivery of training which involves the use of restrictive interventions.

1.5.1 **Training providers must ensure that the views and experiences of people with lived experience of being in receipt of restrictive interventions should both inform and be explicit in training content.** *Co-production of materials and training with people who have lived experiences may include the use of monologues, video diaries or other forms to support discussion and interaction with participants. It is recognised that access to the views and experiences of people with lived experience may be through the training provider or in direct partnership with commissioners of training who may have developed opportunities and networks which support participation.*

1.5.2 **Training providers must ensure that any direct engagement with people with lived experiences is managed sensitively and safely and is viewed in the context of a professional relationship.** *People with lived experience involved in the training must also receive adequate recompense. People with lived experience must be acknowledged as subject matter experts who are able to enrich and enhance training programmes, and play a valuable role in supporting restraint reduction measures.*

1.5.3 **Training providers must ensure proper consideration and planning is given to any co-produced training sessions, if any sessions are to be co-produced and/or co-delivered with a person with lived experience. Sharing lived experiences can be an emotionally intensive experience for both the person with lived experience and the participants. The appropriate support arrangements must be in place.**

Standard 1.6

The training provider must agree delivery arrangements with the commissioning organisation before delivery takes place.

1.6.1 Plans for competency testing and refresher programmes must be agreed with the commissioning organisation in advance and be part of the agreed delivery plan.

Refresher training must take place as a minimum annually and must include competence testing for minimum content requirements (see standard 1.3.2). The full programme must be attended every fourth year.

- Year 1 full programme
- Year 2 refresher
- Year 3 refresher
- Year 4 full programme

Refresher or update cycles may in some circumstances be increased in frequency if individual or service circumstances change.

1.6.2 Training providers must specify and agree the requirements for the training venue with the commissioning organisation as part of the delivery plan.

1.6.3 The training provider must describe the physical fitness level required for each programme it is commissioned to deliver as part of the delivery plan. (See also standard 1.2.3, on the training information sheet.)

1.6.4 The training provider must agree in advance with the commissioning organisation before any training is developed and delivered how the information needed for record keeping will be held and shared, in line with GDPR data protection rules and legislation.

1.6.5 The ratio of trainers to participants when teaching people theory and when teaching people practical skills must be part of the agreed delivery plan. When teaching people to use restrictive interventions including breakaway techniques that are restrictive a minimum of two trainers must always be present and a maximum ratio of 1 trainer to 9 participants must be maintained. Theory and non restrictive breakaway techniques must be delivered at a maximum ratio of 1 trainer to 18 people, but best practice would be 16 or less to allow opportunity for full participation for each participant.

1.6.6 Training providers must request in advance any information about reasonable adjustments that need to be made so that participants with additional support needs can maximise their participation in the training event.

This information must be received at least two weeks before the delivery date. If participants are added to the programme nearer the time, training providers must request that the commissioning organisation also include any information about additional support needs for those participants.

1.6.7 All training providers and any trainers who are employed by them must as part of the commissioning process provide evidence of both professional indemnity and public liability insurance.

Standard 1.7

The training provider must provide accessible information about the content of the training programme.

1.7.1 Accessible information must be available to everyone who will be directly or indirectly impacted by the training. The information must:

- be available to the commissioning organisation to disseminate and also readily available for any individual or representative of an individual who makes a request

- be in a format that best suits people's communication requirements and needs
- cover both the theory and practical aspects of the training. All restrictive interventions that are to be taught must be described, alongside potential risks and the rationale for their inclusion in the programme

Standard 1.8

The training provider must have a policy for responding to concerns and complaints.

1.8.1 The training provider must have a policy that clearly describes how questions, concerns and complaints will be processed and dealt with. The policy must be:

- available on request
- publicly available, eg through the training organisation's website (or internal intranet where the training team are in-house)
- presented in an accessible information sheet (see standard 1.2.3) which should contain the training organisation's contact information

The policy must include:

- a time frame for acknowledgment of the complaint to the complainant
- details of how an investigation will take place to determine if the complaint is justified or not
- a process for a root cause analysis of the complaint, and corrective actions
- details of the closure of the complaint and feedback to the complainant

Section

2

Standards supporting curriculum content

Standards 2.1–2.15 describe areas that the curriculum must cover.

Standards

Standard 2.1:	Placing the curriculum within a rights based framework
Standard 2.2:	Duty of candour and duty of care
Standard 2.3:	Attitudes and attributions
Standard 2.4:	Considered decision making
Standard 2.5:	Primary and preventative strategies
Standard 2.6:	Teaching secondary strategies
Standard 2.7:	Teaching non-restrictive tertiary strategies
Standard 2.8:	Teaching restrictive tertiary strategies
Standard 2.8.A:	Use of mechanical restraint
Standard 2.9:	Factors that contribute to risk and elevated risk
Standard 2.10:	Emergency procedures
Standard 2.11:	Identifying the range of restrictive practices
Standard 2.12:	Use of data to inform minimisation
Standard 2.13:	Post-incident support, review and learning
Standard 2.14:	Trauma informed care and support
Standard 2.15:	Restraint reduction theory

Standard 2.1

Training content must support a person centred and rights based approach.

Training providers must reference the rights based framework found at the front of these standards when developing this part of the curriculum.

*Figure 3 illustrates how training must consider the rights and needs of people who are being trained **and** the rights and needs of people who are being supported and may be in receipt of restrictive interventions. These rights and needs include universal human rights and are also person specific, setting specific and country specific.*

2.1.1 Training content must ensure participants understand the importance of adopting a person centred approach at all times.

Understanding could be checked by the trainer through developing exercises such as case studies or questions for participants to work through.

2.1.2 Training content must ensure participants understand the legislation that supports individual rights.

Understanding could be checked by the trainer through developing exercises such as case studies or questions for participants to work through. Reference in training must be made to:

- the Human Rights Act 1998
- the Equality Act 2010
- the Mental Capacity Act 2005
- where relevant, the Mental Health Act 1983

2.1.3 Training content must include an overview of relevant legislation, regulations and guidance designed to uphold human and individual rights as they relate to specific populations, settings and nations (see Appendices 1–20).

Figure 3: **Diagram demonstrating the layers of guidance and legislation to be considered when developing a training syllabus that has a restrictive intervention component**



Standard 2.2

Training content must cover duty of candour and duty of care in all settings.

2.2.1 Training content must:

- explore participants' obligations related to duty of candour and duty of care
- include a definition of both duties (for example Care Quality Commission (Regulation 20), 2015) and reference to guidance from the appropriate specific professional bodies for the participants
- explore how both duties relate to practice through examples and show how they contribute to a culture of safety for everyone
- explore where reflective practice can support both duties
- reference and direct participants to the commissioning organisation's whistle-blowing policy and procedures

Understanding could be checked by the trainer through developing exercises such as case studies or questions for participants to work through.

Standard 2.3

Training content must cover how attitudes to and attributions of distress or concerning behaviours can impact directly on responses to the people being supported.

2.3.1 Training content must cover:

- how a range of factors can affect staffs' conscious and unconscious responses to the people they support
- how the language used to describe people, behaviours and restrictive interventions can negatively influence personal and service responses
- how negative attitudes and attributions can contribute to discrimination, power imbalances and the perpetuation of a culture of control

Standard 2.4

Training content must cover the use of decision making in response to distress or behaviours of concern.



2.4.1 Training content must:

- define the concept of least restriction and this principle must be reinforced through the whole programme
- explore the impact of staff decision making and choices in relation to the use or non-use of any strategies or interventions. This must cover when, where and how to replace, reduce or release those that they have selected. The decision must be safe, lawful and effective
- cover advanced directives and consent. It is vital that the person themselves is involved in discussions and decisions about what happens and when and directives take into account preferences and wishes of the person
- draw a direct link between decision making and accountability
- refer to organisational protocols and guidance for calling the police to assist in crisis situations. The rationale for police involvement must be explored in detail

Over reliance on police involvement is not likely to contribute to a culture of therapeutic treatment. Please refer to the memorandum of understanding drawn up by the College of Policing, available at <https://bit.ly/2kMdSxt>

Figure 4 supports standards 2.5 to 2.8, illustrating the purpose of primary, secondary and tertiary strategies and when they should be used.

Figure 4: **Minimisation matrix showing the different types of interventions and when they should be used within a restraint reduction framework** (NASMHPD, 2008)



Non-restrictive interventions should always be first resort even at a tertiary stage when an actual behaviour of concern is occurring

Standard 2.5

The curriculum must give proportional time (no less than one day or six hours) to exploring primary strategies and preventative approaches (unless the commissioning organisation already provides an evidence based model of preventative training to all staff).*

2.5.1 Training content must:

- reference evidence-based frameworks, for example Positive Behaviour Support, for understanding the root causes of distress and the communicative function of behaviours of concern, meeting needs, and creating supportive environments
- support participants' understanding of the potential causes and vulnerabilities associated with the risk of developing distressed behaviours or behaviours that are concerning for the specific populations being supported. *Potential causes and vulnerabilities may include (but are not restricted to) communication difficulties, sensory differences, physical and mental health problems, social exclusion and lack of social relationships, and history of trauma and abuse (Hastings, 2013)*
- include activities and discussion relating to creating cultures of support and developing primary strategies designed to proactively meet people's needs so they are less likely to develop distress or behaviours of concern. *Primary strategies aim to enhance a patient's quality of life and meet their unique needs, thereby reducing the likelihood of harmful behavioural disturbances (Department of Health, 2015, 26.19–26.22); these strategies may also be referred to as proactive strategies (see Figure 4)*
- explore the impact of the environment and factors that have a negative impact both on the people being supported and staff. The relationship between enhancing quality of life and reduction of restrictive practices must be emphasised
- refer to the role of relationships within the context of meeting need and preventing the development of behaviours of concern. It must also explore what constitutes healthy and helpful therapeutic relationships

* examples of frameworks may include Positive Behaviour Support, Safewards, No Force First, the Recovery model, and/or specific strategies such as Safety Huddles.

- include identifying triggers or events that may increase the likelihood that people will become distressed. Participants must be encouraged to think about the individual people they support and how these personalised triggers can be both identified and managed. Participants must also be encouraged to reflect on their own personal triggers and responses to those triggers

Standard 2.6

The curriculum must give proportional time (typically at least three hours) to covering the use of secondary strategies which alleviate the situation and prevent distress or behaviours of concern from escalating.

2.6.1 **Training content must:**

- cover a definition and examples of secondary strategies and when they should be considered for use. Secondary strategies may be non-restrictive or restrictive and examples should be given of both (see Figure 4)
- refer to any evidence-based frameworks or models that are used by the commissioning organisation
- include enough time for demonstrating, practising, and assessing participants as competent to use general de-escalation and other secondary strategies
- emphasise the importance of developing person centred, individualised de-escalation techniques and secondary strategies. Participants must be encouraged to relate the use of secondary strategies directly to the people they support
- refer to the importance of keeping records of successful secondary strategies, in line with organisational systems, and how this information can be used to inform reduction plans

Standard 2.7

The curriculum must give proportional time to covering the use of non-restrictive tertiary strategies.

- 2.7.1 Training content must cover a definition of tertiary strategies (see glossary) and examples of both non-restrictive and restrictive tertiary strategies and when they should be considered for use (see Figure 4, p49).**

Tertiary strategies are used to bring potentially unsafe situations under control. Tertiary strategies do not aim to prevent the situation from occurring again in the future but are used for the exclusive aim of bringing about a safe and timely resolution.

- 2.7.2 The curriculum must allow time for discussion and consideration of the safe use of non-restrictive tertiary strategies when there is an actual behaviour of concern occurring. Some interventions used at the secondary stage (early warning stage) can also be used when someone is in distress or there is a risk of harm occurring. The interventions may need adapting as the risk presented at this time is greater. These are referred to as non-restrictive tertiary strategies and should always be considered for use before a restrictive intervention is applied. The primary aim is to bring about safe and timely resolution in the least restrictive way.**

- 2.7.3 The curriculum must have time factored in for demonstration and practice for each strategy and time factored in for each participant to have an assessment of competence in the safe use of each strategy.**

- 2.7.4 The trainer must refer to the importance of recording the use of non-restrictive tertiary strategies and how successful the de-escalation attempt was. This information will help support the minimisation plan.**

- 2.7.5 Training content must cover any non-restrictive breakaway or disengagement techniques as identified by the Training Needs Analysis. The curriculum must have time factored in for demonstration and practice for each technique, and time factored in for each participant to have an assessment of competence in the safe use of each technique. A non-restrictive breakaway technique is one which results in a clean disengagement and does not immediately flow into a planned use of restraint.**

Standard 2.8

Teaching the use of restrictive interventions (may include physical restraint, physical restraint to facilitate seclusion or long term segregation, clinical holding, or mechanical restraint).

The following restrictive interventions are covered by these standards:

- *physical restraint*
- *physical restraint used to facilitate seclusion*
- *physical restraint used to facilitate long term segregation*
- *physical restraint used to facilitate rapid tranquilisation*
- *mechanical restraint*
- *clinical holding*

2.8.1 Training in the use of restrictive interventions must only be provided within the context of an explicit commitment to reduction of the use of all restrictive interventions (see standard 1.4) and the provision of person centred support.

2.8.2 Training content should refer to any elevated risks identified in the TNA (see standard 1.1).

Any restrictive interventions which are to be taught to training participants must have been assessed as suitable for the needs of that population. Where TNAs have highlighted elevated risks to individuals or populations, training must reflect any additional safeguards, limitations or restrictions. There must not be blanket training of any restrictive intervention techniques (see Appendix 10 for emergency admission services).

2.8.3 Training content must define the type of restrictive intervention being taught, and this must include a definition of the purpose of the intervention and the context in which it is to be used. Reference must be made to terminology used in local policy documents, as well as authorised procedures.

2.8.4 Training content must be clear that restricting someone's movement for clinical or personal care purposes is a form of physical restraint and should be recorded as such. This is sometimes referred to as clinical holding. Training must refer to the use of person centred approaches and less restrictive alternatives to the use of clinical holding or holding for personal care that can decrease the traumatic impact of the experience.

2.8.5 The trainer facilitating the session must be competent to safely teach and manage those training sessions covering the use of specific restrictive interventions. In addition to meeting the criteria in [standard 3](#), trainers must have been formally assessed to be competent to deliver those specific interventions by the training provider. *Clinical experience of participating in certain procedures such as rapid tranquilisation and long term segregation would also enhance their understanding.*

2.8.6 Training must cover the specific circumstances in which the restrictive intervention under consideration may lawfully be used. As a minimum the following must be covered:

- the legislation and guidance that legitimises the use of the specific restrictive intervention being taught, as well as the rationale, legislation and guidance relating to any clinical or statutory function that the intervention (ie physical restraint) is being used to support (eg rapid tranquilisation or detention under the MHA 1983)
- any national or service specific guidance that applies to the specific restrictive intervention being used
- relevant sections of the local organisational policy along with procedures relating to the use of the specific restrictive intervention
- that the intervention under consideration must only be considered when all other available and appropriate methods of primary and secondary prevention and non-restrictive tertiary interventions have been explored and found ineffective
- that the intervention must only be used for its intended and agreed purpose
- that it must be the least restrictive option available
- that it must employ the minimum amount of force for the minimum amount of time

- that it must never be used as a threat or as punishment, or in a way that curtails the rights and freedoms of the individual
- that if it is used as a planned intervention, it must be accompanied by the consent of the individual, or based on a best interest decision (Mental Capacity Act 2005) or in consultation with relevant others (Adults with Incapacity (Scotland) Act 2000) unless the person is detained under the Mental Health Act 1983

Physical restraint is any direct physical contact where the intention of the person intervening is to prevent, restrict, or subdue movement of the body, or part of the body of another person (Department of Health, 2014). Physical restraint can also be called manual restraint, physical intervention and restrictive physical intervention.

Seclusion involves ‘the supervised confinement and isolation of a person, away from other users of services, in an area from which the person is prevented from leaving’ (Department of Health (2015) Mental Health Act 1983 Code of Practice Section 26.103).

Rapid tranquilisation refers to ‘the use of medication to calm or lightly sedate an individual to reduce the risk of harm to self or others and to reduce agitation and aggression. This may provide an important opportunity for a thorough psychiatric examination to take place’ (Department of Health (2015) Mental Health Act 1983 Code of Practice Section 26.91).

Long term segregation (LTS) involves ‘a situation where, in order to reduce a sustained risk of harm posed by the patient to others, which is a constant feature of their presentation, a multi-disciplinary review and a representative from the responsible commissioning authority determines that a patient should not be allowed to mix freely with other patients on the ward or unit on a long-term basis’ (Department of Health (2015) Mental Health Act 1983 Code of Practice Section 26.150).

Mechanical restraint involves ‘the use of a device (eg belt or cuff) to prevent, restrict or subdue movement of a person’s body, or part of the body, for the primary purpose of behavioural control’ (CQC, 2015b).

Clinical holding involves ‘immobilisation, which may be by splinting, or by using limited force. It may be a method of helping children (and adults), with their permission, to manage a painful procedure quickly or effectively’ (RCN, 2010).

2.8.7 **The training content must cover all of the risks that are associated with the use of the specific intervention under consideration, before any practical component is delivered. Training must cover the safeguards in place to manage any risks that may arise as well as the planned contingencies in place in the event of a medical emergency developing (see standard 2.10). As a minimum it must cover:**

- general risks associated with the specific intervention (standard 1.3)
- specific risks associated with the use of the intervention under consideration on any individuals
- warning signs to look out for, which reveal distress, pain or a deterioration in any individual medical condition (refer to standard 2.10)
- action to be taken in the event that warning signs are detected (see standard 2.10)

2.8.8 **Before delivering the practical components of the programme the trainer must highlight those risks that are potentially present within the training environment and during training practice (see standard 1.3). These include:**

- general safety issues for staff during teaching and practice
- person specific safety issues for staff during teaching and practice

2.8.9 **The training session must allow enough time for demonstration and practice for each technique and time factored in for each participant to have an assessment of competence in the safe use of each restrictive intervention that has been approved (see standard 2.6).**

2.8.10 **The training session must be structured in such a way as to contextualise the use of the specific restrictive intervention. For example structuring scenarios that integrate the restrictive interventions into operational or clinical situations.**

2.8.11 Where simulated resistance is used during training sessions the risks it poses must be managed.

- Only trainers must role play resistant service users
- Role plays must be directly managed by a separate trainer who should immediately stop the scenario if there is any likelihood of injury

2.8.12 The training content must emphasise that the application of any restrictive intervention will be within the context of a therapeutic or supportive relationship with that person. Training must recognise that the use of restrictive interventions can traumatise people and damage relationships. It must explore how relationships can be maintained during and after the use of any restrictive interventions.

2.8.13 The training content must emphasise the need to comply with reporting requirements and participate in any review processes designed to learn from experience and reduce the need for future restrictive interventions.

Standard 2.8.A

Teaching the use of mechanical restraint.

Due to the highly restrictive nature of some mechanical restraints, additional training standards are required to complement standard 2.8.

2.8.A.1 Training providers must ensure that any form of mechanical restraint that they are requested to teach the use of has been agreed at a board level. There must be clear documentation as to how this has been deemed the least restrictive option for that person and why alternative approaches would not be suitable for them (CQC, 2016). Training content must explicitly cover this point.

2.8.A.2 Mechanical restraint must only be considered for use in exceptional circumstances in specific settings and under specific circumstances. Training content must clearly identify what these are and refer to organisational policy and protocol for their use.

2.8.A.3 Training content must refer to specific legislation and guidance on the use of mechanical restraint. This must include:

- **Brief Guide: Restraint (Physical and Mechanical) (CQC, 2015)**
- **MHA 1983 Code of Practice (Department of Health, 2015)**
- **NICE guidance NG10 (NICE, 2015a)**

2.8.A.4 Training content must refer to the *Mental Health Act Code of Practice* (Department of Health, 2015, 26.8026.81, 26.82) which specifies requirements for safety reviews and observation protocols.

2.8.A.5 Training content must refer to any other general and specific safety guidance around the use of the specific mechanical restraint.

2.8.A.6 If appropriate, training must cover the protocol for the use and recording of mechanical restraint such as splints or cat paws which sometimes are used in services for people with intellectual disabilities and autistic people who have self injurious behaviours.
The principle of least restrictive intervention must apply. The function of the self injury for the person must be identified and alternative ways of meeting the person's need must be implemented. The clinical team, family, carers and advocates would need to be in agreement about the parameters of the use of the device (*MHA 1983 Code of Practice*, Department of Health, 2015, 26.87).

2.8.A.7 Training must cover protocols for the use and recording of mechanical restraint in services for older people and people with disabilities. Belts and straps in chairs etc must be used lawfully for intended purpose only and not used to restrict liberty for the convenience of staff.

Standard 2.9

Training must cover the factors that contribute to risk and elevated levels of risk in the application of restrictive interventions.

2.9.1 Training content must make clear that all restrictive interventions contain an element of risk even when in accordance with training approved techniques and guidance.

Training content must cover:

- physical, psychological or emotional risks
- factors that may elevate risk – personal factors, service factors, the types of restrictive interventions being used as well as how long they are applied for and how they are applied.

2.9.2 Training content must make clear that staff have a responsibility for the safety of those individuals on whom they are applying restrictive interventions.

Training content must cover participant responsibilities for ensuring:

- restrictive interventions are only ever used as a last resort, and always in line with policy and guidance
- any and all general safeguards are implemented
- any and all person centred safeguards are implemented
- active monitoring of the person is undertaken (see standard 1.3.4)
- emergency procedures are implemented immediately in the event that relevant warning signs are detected (see standard 2.10)

2.9.3 Training content must make clear that staff have a responsibility for their own safety and that of their colleagues involved in applying restrictive interventions, as well as for others involved in the incident.

This would include organisational policies in place that are designed to keep staff safe. These include lone working procedures, safe systems of work and any guidelines relating to personal safety.

Standard 2.10

Training in restrictive interventions must consider emergency procedures, and cover the safety contingencies in place to manage the risk of a medical emergency arising.

2.10.1 Training content must make it clear to participants that they have a responsibility to take safety based action in the event that a behavioural crisis becomes a medical emergency.

Such emergencies may include a person experiencing breathing difficulties, or some form of cardiac or circulatory compromise, as well as injury to joints such as a fracture or dislocation. (This is not an exhaustive list.)

2.10.2 Training content must cover the warning signs which indicate such an emergency is developing.

This must include:

- the various domains to be monitored, such as ABCDE: the Airway, Breathing, Circulation, Deformity of limbs and any Existing medical condition or injury
- those signs and symptoms which indicate an acute deterioration in someone's health and/or functioning
- recognition of signs and symptoms of more common conditions must be cited including asphyxiation, cardiac arrest, cerebral vascular accident and myocardial infarction, and fractures

2.10.3 Training content must cover the urgency with which restrictive interventions must be ceased in the event a medical emergency is developing, and stress the importance of immediately summoning emergency medical assistance.

The following must be highlighted:

- the urgency with which medical support must be summoned. Arrangements may include the use of communications equipment and alarms
- the importance of managing the casualty until medical assistance arrives. Organisational policy in relation to this issue should be referenced and clarified

- 2.10.4 **Training content must cover the procedure for recording and reporting. Organisational policy must be referenced and clarified.**

Standard 2.11

The curriculum must identify the full range of restrictive interventions and restrictive practices and their application.

- 2.11.1 **Training content must identify and prompt discussion about all forms of restrictive interventions, including seclusion, rapid tranquilisation, chemical restraint, mechanical restraint, clinical holding, physical restraint and psychological restraint.**

This must include:

- definitions of key terms
- reference to blanket restrictions
- identification of other restrictive practices imposed by staff on people, such as dietary restrictions, lack of choice, restricting access to activities and personal items and locked doors
- restrictive intervention and practices that may be used covertly, such as not identifying opportunities or options, or influencing people's choices, eg 'you don't want to go out this afternoon do you?', or secreting medication in preferred food

- 2.11.2 **Training content must define coercion and trainers must allow time for discussion about how, if unchecked or unregulated, restrictive interventions can become coercive and potentially harmful (physically, emotionally and psychologically).**

Standard 2.12

The curriculum must cover the requirements for recording and analysing data from restrictive interventions and occurrences of distress or concerning behaviour.

2.12.1 Training content must cover:

- the regulatory and organisational requirements for recording the use of any restrictive interventions and injuries associated with the use of restrictive interventions. It is recommended that an independent review should take place if any injuries occur during the use of any restrictive interventions
- the importance of accurate and objective recording. Activities that enable participants to practice and reflect on elements of good recording must be used. Different types of data collection tools and their uses must be covered
- the use and analysis of data to support restraint reduction. Analysis should support the identification of trends such as frequency and seriousness of different types of restraint over time and across different areas of the provider's work. Analysis of data must be used to inform individual and organisational restraint reduction plans. Analysis of data can help identify patterns that inform preventative working – by highlighting the conditions in which incidents are more or less likely to occur it should be possible to develop primary strategies that meet people's needs before behaviours of concern arise. Reference should be made to *Towards Safer Services* (DoH, in development) and *Restrictive Interventions in Inpatient Intellectual Disability Services: How to Record, Monitor and Regulate* (Chester et al, 2018, available at: <https://bit.ly/2xZP6SB>)

Standard 2.13

The curriculum must include reference to the importance of required procedures that are related to post-incident review.

2.13.1 Training content must include reference to the need for, and the understanding of, the purpose of both components of post-incident review for individuals and staff. *With reference to a review of current available evidence, these standards support a clear separation of these two components (Baker, 2017). Best practice and review of the limited evidence base suggest there are two main components of post-incident review, each with a distinct purpose:*

- 1. Post-incident support – attention to physical and emotional wellbeing of the individuals involved*
- 2. Post-incident reflection and learning review*

Post-incident review requirements for staff, service users, carers and others involved in incidents where restrictive physical interventions are used are outlined in NICE guidance NG10 and QS154 (NICE, 2015a, 2017b).

2.13.2 Training content must cover the need for post-incident support. *This is the support that is immediately offered to an individual who has been involved in an incident. It should be available after any incident where a restrictive intervention has been used and after any incident that may have had an impact on the individuals involved. It should be available and proactively offered to all individuals who have been involved in the incident or who have witnessed the incident. The support should include assessment and treatment of any medical needs and provision of immediate emotional support. The trainer should discuss the importance of staff seeking and accepting this support.*

2.13.3 The training content must indicate what future options for emotional support are available through the commissioning organisation. The training must identify how participants and individuals who use services can access this either within the service or independently of the service. (NB: This should have been identified as part of the TNA and overall commissioning.)
This may include individual and/or group supervision/debriefing and individual psychological therapy delivered by a trained professional.

2.13.4 Training content must also cover the second component of a post-incident review: a reflective and learning review. The training content must cover the essential elements of the learning and reflective review which should be triggered by the use of any planned or unplanned restrictive intervention or any other event specified in organisational policy.

The review should examine the factors that led to the restrictive intervention being used and consider if:

- future incidents could be either avoided or the impact could be minimised – this might mean the service or environment could be altered to better meet the needs of the person or that the staff could respond differently to the person
- personalised triggers can be identified and either minimised or avoided in the future and/or the person could be supported to learn coping or alternative skills
- the risk assessment and support plan need to be reviewed
- a less restrictive approach could be used in the future

Reflective reviews should be led by experienced facilitators and should be a learning and reflection forum and not about blaming individuals. There should be clear actions taken forward from the review. Views of the individuals who were involved in the incident should be part of the review process using whatever method is most appropriate and supportive to them.

Standard 2.14

The curriculum must have content that enables participants to understand the meaning of ‘trauma’ and how it can impact on people’s experience of restrictive interventions.

2.14.1 Training content must cover:

- the definition of ‘trauma’ including post-traumatic stress disorder (DSM 5) and complex trauma disorder (ICD 11) and the basic principles of trauma informed care
- how trauma may impact on the experience of use of restrictive interventions. This can apply both to people who may be in receipt of the restrictive intervention and to those who apply the restrictive interventions. *Experiencing a restrictive intervention such as seclusion or physical restraint is in itself potentially traumatising. The experience could also trigger a trauma memory*
- how a person’s trauma history, if it is known, must form part of the personalised wellbeing risk assessments needed for the use of any restrictive interventions. *There may be considerations that could lessen the impact of the experience should it become necessary. A person’s trauma history may not be known so training should also cover the importance of the recognition of potential symptoms of trauma and how these can sometimes be overshadowed by autism or learning disability, and also the fact that behavioural symptoms could potentially be linked to past trauma. It is possible that people who have care histories may have had multiple traumatic experiences of restraint – it is important that the training considers people’s past experiences and how these might impact on any present experience. It would be important for participants to consider the types of restraint that people who have had histories of restraint and/or abuse may find particularly traumatising*
- an affirmation that a trauma informed approach must be provided to everyone whether trauma is known or not
- an understanding of trauma through a developmental perspective that applies to all ages not just children

Standard 2.15

The curriculum must contain reference to and explore understanding of restraint reduction theory.

2.15.1 Training content must include reference to evidence based models of restraint reduction. *These may be with reference to resources, among others, from the Restraint Reduction Network (<http://restraintreductionnetwork.org>), the Restrain programme (<https://bit.ly/2IDXJ9l>), or other population specific programmes. Trainers are recommended to refer to the 'six core strategies' as identified by Huckshorn (NASMHPD, 2008). Other evidence based models include Safewards and No Force First Restraint.*

2.15.2 Training content must make reference to any policy, procedure or commitments which have been made by the commissioning organisation related to restraint reduction.

Section

3

Standards supporting post-delivery processes

Standards

Standard 3.1:	Competence, assessment and feedback
Standard 3.2:	Record keeping
Standard 3.3:	Reporting concerns
Standard 3.4:	Evaluation
Standard 3.5:	Quality assurance
Standard 3.6:	Refresher training

Standard 3.1

Training must include a competence based assessment within each programme, with participants being assessed across both theory and practice elements.

3.1.1 Training providers must establish assessment criteria which are consistent with the level of training which has been commissioned. The criteria must identify and distinguish between introductory level, refresher training, and train the trainer programmes.

Areas that must be included are:

- values and attitudes, as reflected in the language and behaviour used during the course
- knowledge of appropriate theoretical concepts, approaches and strategies (eg rights based approaches, person centred care, primary, secondary and tertiary strategies)
- the ability to describe a range of primary interventions
- the ability both to describe and demonstrate a range of secondary strategies
- the ability both to describe and demonstrate non-restrictive tertiary strategies
- the ability both to comprehensively describe and demonstrate all component parts of any restrictive interventions and the safety parameters for them that have been taught. Participants should be able to clearly articulate the rationale for the use of these interventions
- knowledge relating to the legal and ethical implications of using restrictive intervention

3.1.2 The training provider must have assessment methods which take into account any reasonable adjustments that people need. (NB: When testing the competence to apply a restrictive intervention any reasonable adjustments must not compromise the safety of the restrictive intervention when it is applied in practice. An additional risk assessment may be needed.)

3.1.3 The curriculum must have time factored in for demonstration and practice of each intervention that has been taught, as well as time factored in for the assessment of competence for each participant.

3.1.4 The training provider must allow time within the programme so that the participants can be given verbal feedback about their performance.

3.1.5 Participants who do not reach the required standard of the course must be referred to the commissioning organisation and given advice and support on how they can meet the assessment criteria in the future. They should be encouraged to retake the training at a future date if possible. If a trainer has serious concerns about a participant's ability to complete the programme successfully they must refer to the identified manager in the commissioning organisation as soon as is practical (also refer to standard 4.6.6).

3.1.6 The training organisation must provide commissioning organisations with written feedback on the assessed performance of each course participant.

This must include:

- the areas they have demonstrated competence in
- any identified areas in which they have demonstrated excellence
- if a participant has failed to demonstrate competence in all areas of the curriculum. In this case, feedback must also include:
 - any actions that can be taken to enable them to achieve competence in these areas
 - a recommendation that the participant should not be involved in the direct application of restrictive interventions until they are able to provide evidence of competence for the whole of the curriculum

Standard 3.2

Training records for each programme delivered must be maintained by the training organisation.

3.2.1 Training providers must ensure that their trainers maintain complete, accurate and up to date records of each course they deliver.

This must include the following:

General information

- Date and title of the course, duration and details of the trainers involved

About the participants

- Names of the participants, their employing organisation and service/setting
- Confirmation of each participant's fitness to attend the programme

About the programme

- Learning aims and objectives of the programme
- Brief description of curriculum content
- Details of secondary strategies that have been taught
- Details of non-restrictive tertiary strategies that have been taught
- Details of any restrictive tertiary strategies that have been taught
- Date when refresher training due

Assessment information

- Assessment records for each participant for each part of the syllabus (*with reference to standard 3.1.1*) with any reasonable adjustments that have been made
- Assessment records must clearly indicate who has successfully completed the programme and demonstrated the required level of competence and who has not
- Written feedback for each participant (*see standard 3.1.5*), including any recommended actions in respect of participants who failed to demonstrate competence

- Any concerns related to the conduct or values of any of the participants (please refer to standard 3.1.1)
- Evaluation information (please refer to standard 3.4.1)
- Health and safety information, details of any injuries or accidents reportable under health and safety legislation occurring during the training, in compliance with Health and Safety Executive *Reporting of Injuries, Diseases and Dangerous Occurrences Regulations* (RIDDOR) (HSE, 2013b)

3.2.2 Records must be maintained and retained by the training organisation for a period of time that is consistent with legislative requirements.

3.2.3 Training providers must have a data storage policy that is compliant with GDPR regulations.

Standard 3.3

Training providers must have a policy for dealing with concerns that arise during training.

3.3.1 Training providers must have a policy that outlines the procedure for handling any concerns arising during training sessions.

The policy must include:

- examples of behaviours that may constitute a concern or amount to inappropriate conduct
- an outline of the procedure for informing participants how inappropriate conduct will be managed within the context of the training session
- an outline of the informal procedures for resolving matters, where the trainer seeks to address the issue during the training session
- an outline of the procedure for escalating concerns formally to the training commissioner if the concern cannot be resolved informally
- details of any formal record that must be completed by the trainers

Standard 3.4

All training must be evaluated post-delivery using an evidence based framework.

- 3.4.1 **Training providers must collect evaluation responses for each programme that they run.** The evaluations must inform both the training provider's internal quality assurance processes and a review with the training provider about the effectiveness of the programme. They must also inform the annual review with the commissioning organisation and the review of the restrictive intervention reduction plan.

DRAFT

Standard 3.5

Training providers must use a quality assurance cycle and be able to show how they have measured effectiveness in order to make improvements or adjustments to programmes or processes where needed.

3.5.1 Training providers must be able to demonstrate how their quality assurance cycle supports improvements.

The quality assurance process for training providers must feed into the annual review with commissioning organisations as well as their own processes that support improvement.

Analysis of evaluation information will assist the training provider to identify priorities and create an action plan.

Areas that must be evaluated:

- *How the training programmes are developed and delivered*
- *The performance of trainers*
- *The administration of the programmes*
- *The feedback to the commissioning organisations*

There are a number of methods that can be used to gain evaluation information:

- *Evaluation forms from participants on the training programme*
- *Verbal or written feedback from people who are being supported*
- *Direct observation of training programmes*
- *Verbal or written feedback from managers of staff who have attended the training*
- *Verbal or written feedback from the commissioning organisation about how the training provider has performed during different stages of syllabus development and delivery of the programme*
- *Self-assessment against these standards*
- *Peer review – working with other providers to peer review*
- *Independent reviews of training programmes and impact*

Standard 3.6

Training providers must develop refresher training curricula that take into account the current needs of the organisation, service or individuals, using information from an updated TNA (see also standard 1.6.1).

3.6.1 Training providers must follow the same process for the development of refresher programmes as for the development of the original programme curriculum.

3.6.2 Training providers must ask the commissioning organisation to update the information in the TNA and must review the TNA together to check each restrictive intervention is still needed or if the level of restrictiveness can be reduced.

3.6.3 The training content of a refresher programme must cover:

- revision of key areas of the original syllabus
- a reassessment of the competence to apply primary strategies, secondary strategies, and non-restrictive tertiary strategies
- an update on relevant legislation or guidance on good practice and organisational policies
- further development of skills to apply primary strategies
- a reassessment of competence to apply any of the taught restrictive tertiary strategies
- any additional safety advice or modifications needed relating to the use of tertiary strategies with the individuals in the service or that need to be considered because of changes in the services

Refresher training must be a minimum of one day, covering the bulleted points in addition to the refreshing of restrictive intervention skills.

Trainer standards

Standards

Standard 4.1:	Quality assurance
Standard 4.2:	Training competence
Standard 4.3:	Professional competence
Standard 4.4:	Delivering relevant content
Standard 4.5:	Insurance
Standard 4.6:	Safety
Standard 4.7:	Professional development

There are two kinds of trainers referred to in these standards:

Senior trainers deliver training across multiple organisations and/or deliver train the trainer programmes. They may be employed (or paid) by a commercial training provider, or be employed within a service provider organisation such as an NHS Trust.

Associate trainers are employed by (and deliver training only within their own) service provider organisation (eg NHS Trusts, schools or care homes). They do not deliver train the trainer programmes.

When a standard refers to all trainers it means both senior trainers and associate trainers.

Standard 4.1

Training providers must have quality assurance systems in place to monitor the competency of all trainers delivering their programmes, including both senior and associate trainers.

- 4.1.1 **Training providers must keep up to date records of both professional and training competence for all trainers.**
- 4.1.2 **Training providers must keep records of all trainers and all training programmes that are delivered.**
- 4.1.3 **Training providers must be able to show evidence that they conduct regular quality assurance checks to ensure that accredited authorised curricula are being delivered as intended and that no unauthorised adaptations are being made.**

Standard 4.2

All trainers who are delivering training must be able to demonstrate that they are qualified and competent to train adults.

- 4.2.1 **All trainers must hold or be working towards a qualification which qualifies them to teach or instruct.**
- 4.2.2 **All trainers delivering training in restrictive interventions must hold current first aid certification including immediate life support.**
As a minimum requirement this must be the Emergency First Aid at Work one day programme which includes immediate life support. *Different premises may require different levels of training.*

Standard 4.3

All trainers must be able to evidence that they have the qualifications, experience and competence in supporting people in the sector in which they are delivering training.

4.3.1 All trainers must be able to evidence that they have a professional qualification (with current up to date registration) or have completed a programme of relevant vocational training, having received a qualification within health, education or social care. Training providers must have mechanisms in place so that they can demonstrate that all trainers are able to evidence professional competence and understanding of the sector in which they are delivering training.

This may include:

- *vocational qualification (health, education or social care)*
- *social work qualification (Diploma, BSc, BA)*
- *teaching or education-based qualification*
- *nursing qualification (with current registration) (NMC)*
- *other health professional qualification (with current HCPC or equivalent registration)*

4.3.2 All trainers must have been continuously employed in a support or care role within social care, education or a health care environment for a period of not less than two years. Training providers must be satisfied that trainers are able to evidence professional competence and understanding of the needs of the populations and settings in which they are delivering training. This may be evidenced in a number of ways, including a portfolio that shows professional development and competence.

4.3.3

All trainers must be able to demonstrate that they have the required level of knowledge and underpinning values to competently deliver all elements of the curriculum as specified in Section 2.

This means that they should be competent and have an appropriate level of knowledge in all areas, not just in demonstrating restrictive intervention techniques. It is the responsibility of the training provider to have mechanisms in place that include criteria for assessment of trainers so they can evidence they are competent to teach the whole of the curriculum.

All trainers must have successfully completed a face to face train the trainer programme of a minimum of 30 hours or 5 days in length. The competence to deliver the whole of the curriculum must be assessed during and at the end of the train the trainer programme. Trainer competence must be reassessed on an annual basis by the training organisation and should cover the whole curriculum not just restrictive interventions.

Training providers must have mechanisms in place to evidence that all trainers have underpinning values in line with standards, to include a commitment to upholding rights and the minimisation of the use of all restrictive interventions and practices. This must be demonstrated through their practice while delivering training.

In some circumstances a commissioning organisation will already have a model of preventative working in place, such as PBS, and this training may be delivered by another agency. Staff must receive preventative training before they receive any training in restrictive interventions (see standard 1.2.1). In this circumstance the training programme that is commissioned with a restrictive intervention component may not need to include the content covered in standard 2.5, but the trainer must have the knowledge to teach all the other areas of the curriculum covered in the standards.

4.3.4 **All senior trainers must successfully complete a minimum of two days' refresher training annually.**

4.3.5 **Training providers must specify CPD requirements for all trainers who deliver their programmes.**

CPD hours are not set in these standards. However, trainers must collect a portfolio of evidence to demonstrate to the training provider that they meet the provider requirements and the RRN standards. Evidence of relevant CPD records of trainers must be kept by the training provider to ensure quality, knowledge and skills are maintained.

Where employing or commissioning organisations make stipulations that professional registration is maintained then this remains the responsibility of the trainer.

Standard 4.4

All trainers must ensure that the delivery of any programme is informed by the training needs analysis (TNA) (see standard 1.1).

4.4.1 **All trainers must familiarise themselves with the TNA that has been agreed between the training provider and the commissioning organisation before they deliver any programme of training.** The curriculum must reflect the specific needs identified in the TNA.

4.4.2 **A trainer must only teach the restrictive interventions that have been previously identified and agreed between the commissioning organisation and the training provider and highlight any identified person specific risks during training.** Before delivering any restrictive intervention component the trainer must familiarise themselves with the written rationale for the use of any restrictive intervention and any elevated risks that have been highlighted.

Standard 4.5

All trainers must be covered by professional indemnity and public liability insurance.

- 4.5.1 **Trainers must have appropriate insurance cover for the work they are undertaking.** Trainers working as consultants for a training provider under a franchise agreement or as self-employed trainers must ensure that they have insurance comparable with that of the training provider for the activities they undertake. Valid insurance documentation should be submitted annually for review to the organisation for which they deliver training.

Standard 4.6

Trainers must manage training sessions safely and professionally.

- 4.6.1 **Trainers must undertake an environmental risk assessment that has been provided to them by the training provider.**

Before any training occurs, trainers must undertake a formal risk assessment of the training environment to satisfy themselves that the space is free from hazards, provides enough room to move around safely and is suitable and conducive to successful training delivery.

- 4.6.2 **Trainers must give out information to participants at the start of any programme.** All trainers must, as a minimum, at the start of any programme clearly outline:

- training ground rules and safety rules
- the process for reporting any concerns about the conduct of the participants or the trainer
- fire safety requirements, access to toilets and refreshments etc
- timings for the programme
- learning outcomes, topics to be covered and assessment criteria
- the process for managing participants who don't reach the assessment criteria

4.6.3 **Trainers must outline participants' personal responsibilities before teaching any restrictive intervention component.**

This must include:

- guarding against the risk of injury during the training and immediately reporting to the trainers any subsequent injury
- reporting any existing injuries and disabilities that may pose health and safety risks to their own safety and welfare and those of other participants during training
- their responsibility to adhere to safety guidelines issued by the trainer
- reporting all injuries or adverse events in accordance with the commissioning organisation's own reporting policy and statutory guidance *Reporting of Injuries, Diseases and Dangerous Occurrences Regulations* (RIDDOR) to the purchasing organisation, including any injuries sustained during the training

4.6.4 **Trainers must use respectful language and conduct themselves professionally.** All trainers must adhere to a code of conduct, as specified by the training organisation.

4.6.5 **Trainers must be mindful of the emotional impact of some of the topics on participants and must provide opportunities for individual discussions if needed.**

4.6.6 Trainers must exclude any participant from the course whom they believe to be unsuitable for training.

Participants may be unsuitable on grounds of:

- *their attitudes, values and beliefs as displayed on the course*
- *their behaviour towards the trainer and/or other participants*
- *their time keeping and attendance throughout the course*

Any exclusions must be confirmed in writing to the commissioning organisation or the participant's manager if it is an in-house course.

4.6.7 Before commencing any training event, the trainer must confirm that suitable first aid facilities and equipment are readily accessible at the training venue.

4.6.8 Trainers must have the knowledge, means and ability to summon emergency services to the venue should a serious injury occur during a training session.

Standard 4.7

All trainers will be expected to maintain accurate training records which support an agreed quality assurance system.

4.7.1 All trainers must be able to demonstrate how they use participant evaluations to improve the programme or further their professional development.

4.7.2 All trainers must have at least one peer evaluation per year.

Trainers must be able to show evidence of having one peer evaluation per year and be able to demonstrate how they have used it to further their professional development.

Appendices

Preface to the appendices

The appendices are included to show that the standards will need to be adapted according to some specific considerations. These relate to:

- which specific population is being supported by staff or carers who are accessing training
- the setting that the staff/carers who are receiving the training provide the support in
- the country that the service or setting is operating in

It is likely that training providers will need to refer to more than one appendix when developing a person centred curriculum for a commissioning organisation.

Please follow the link to the relevant current guidance and legislation on the RRN website: <https://bit.ly/2Rqe8T1>. Please let us know if any relevant guidance or legislation is missing from the website.

DRAFT

Contents

Populations being supported

1.	Services supporting people who have acquired brain injury	87
2.	Services supporting autistic people	89
3.	Services supporting children (including residential schools and children's homes)	91
4.	Services supporting people who are deaf and have mental health conditions	93
5.	Services supporting people who have eating disorders	96
6.	Services supporting people who have learning disabilities	98
7.	Services supporting people who have mental health conditions	101
8.	Services supporting older people and people living with dementia	103

Settings in which the staff/carers provide support

9.	Adult acute psychiatric wards and psychiatric intensive care units (PICUs)	107
10.	Emergency departments	110
11.	Family homes	113
12.	Forensic and high secure services	115
13.	Foster carers	118
14.	Lone workers	120
15.	Schools	121
16.	Tier 4 Child and Adolescent Mental Health Services (CAMHS)	125

Country in which the service or setting is operating

17.	England	129
18.	Northern Ireland	131
19.	Scotland	132
20.	Wales	134

Other appendices

21.A	The use of pain to gain compliance	136
21.B	The use of pain for escape and rescue purposes	137

Examples and checklists

22.	Draft self-assessment tool	139
-----	----------------------------	-----

The following templates are available to download at <http://restraintreductionnetwork.org/about/rrnstandards/>:

- Sample checklist for a training needs analysis
- Information needed for a personalised wellbeing risk assessments checklist
- Sample template for a written rationale for the inclusion of a restrictive intervention in a curriculum

Specific considerations and adaptations to the training standards for services supporting people who have acquired brain injury

Type of service

Services for people who have acquired brain injury. Such injuries arise from accidents, assaults, infections, tumours and strokes and can result in physical, cognitive, emotional and behavioural impairments. (This list is not exhaustive.)

Specific considerations when delivering training in this setting:

- Mood swings, stress, frustration and anger are often experienced by individuals with acquired brain injury. These, and the difficulties in understanding, processing and responding to information and events, coupled with the potential loss in insight and impulse control, should not lead to a person being characterised as 'violent' or 'high risk', and routinely managed as such
- An acquired brain injury can lead to changes and impairments which should be considered as risk factors in the context of any physical restraint. These include:
 - issues with memory, including a struggle with the retention of information in both short and long term
 - changes in muscle tone (low tone – hypo; and high tone – hyper)
 - impairments in receiving and processing sensory information, which may manifest in hypo- or hyper-sensitivity to touch, and to pain in particular
 - difficulties with speech and language
 - difficulties with swallowing, which should be treated as a risk to breathing
 - increased risk of epileptic seizures or fits

- The stress associated with the application of a physical restraint technique should be considered as a risk factor in and of itself
- Restrictive interventions may include the use of mechanical restraints/restraint devices in a very limited number of very clearly delineated situations, eg attempting to remove catheters, arterial lines and breathing tubes. The removal of an arterial line is potentially life threatening in a very short period of time, hence why such an extreme form of restraint may be advocated. The use of mechanical interventions is likely to give rise to additional risks, such as potential interference with circulation, and potential damage to nerves
- There is also the risk that such devices begin to be thought of as a means of managing more general behaviours of concern. A clear authorisation process and reduction plan needs to be developed
- These risks are linked to both the application of restraint devices, and the misapplication of devices, so staff will need clear guidance and training on how to apply them safely

Specific adaptations to the standards for this setting:

- Physical restraint plans must:
 - be personalised and reflect the unique impairments of the person
 - have multi-disciplinary input from relevant health professionals
 - contain an explicit rationale for the use of techniques which should be centred on safety and the prevention of harm, not simply behaviour management
 - include explicit monitoring protocols which cover those safety criteria upon which any physical restraint techniques should be relinquished and these should be linked to relevant emergency medical support protocols, eg responses to breathing difficulties or seizures
- Additional risk assessments will be required to cover the application of any mechanical restraints. These should cover the risks arising from their application, and the vulnerability of the individual they are being applied on. It is possible that physical restraint techniques may be included in any application procedure, so any risk assessments should be considered in parallel
- Additional training time will be required to cover the criteria for using devices, the application of them, any contra indications for fitting, safety monitoring protocols and criteria for release
- Additional time should be spent during training sessions to discuss the local protocols in place for ambulance services to manage the heightened risks involved in the rapid admission/assessment process

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website at <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for services supporting autistic people

Type of service

Services and settings are inclusive of education, residential, social care, and individuals' tenancies working within family home and health or hospital service setting. Children with autism and autistic adults may or may not also have a learning disability and/or mental health diagnosis and may be in generic services as well as specialised settings.

The National Autism Society (NAS) defines autism as a lifelong developmental disability that affects how people perceive the world and interact with others. Identity first language is in general the preference of autistic adults (though not always), so it is used here but the person's preference should always be ascertained.*

Specific considerations when delivering training in this setting:

- All autistic people are different and have a range of individual strengths and needs but it is important to consider the following during training

Autistic people and children with autism:

- may have some difficulties understanding what's happening around them, or understanding social cues
- may at times find it difficult to express or communicate their needs
- may not be able to process or understand instructions and other communications and need extra time and cues – it is important not to perceive this as ignoring instructions, or as rude or non-compliant behaviour

* **Identity-first language** places the disability-related word **first** in a phrase. People who prefer **identity-first language** for themselves often argue that their disability is an important part of who they are, or that they wouldn't be the same person without their disability. However, personal preference should always be identified and used

- may at times be very anxious and tense and want to escape from stressful situations or activities
- are likely to have sensory differences, eg an over-sensitivity to noise or touch or a need for stimulation. Sensory sensitivities can lead to extreme levels of stress and anxiety in unfamiliar or over-stimulating environments. Environmental considerations are extremely important when supporting an autistic person and as much information as possible should be gathered about the person's preferences and needs
- may have differences in experiencing levels of pain
- may have a different awareness of personal space and may seem to be unusually intolerant
- are likely to have concomitant health problems that may be undiagnosed
- are vulnerable to the full range of mental health issues experienced by people without autism but may be particularly vulnerable to anxiety related conditions
- It is very likely that a restrictive intervention could be a frightening, painful and traumatising experience and consideration should be made of the individualised support needed during any restrictive intervention and afterwards. It would be especially important to consider the person's individual communication needs and preferences and understand how the environment may impact upon their emotional state. Identification of any comforting object or routines to support recovery should be in the personalised wellbeing risk assessments
- If it is suspected that a person is deliberately seeking sensory stimulation through physical restraint, the advice of a psychologist should be sought so that alternative methods of stimulation can be provided
- In the event that there is to be a planned response to any behaviour of concern that involves a restrictive intervention, it is best practice to ensure that this is supported by the consent of the individual in question or a best interests decision. Such advanced decisions should be recorded in plans that detail the decision making process, the consultation that was undertaken, why it is necessary, how it is the least restrictive intervention, the risk factors that have been identified, the safeguards in place to minimise its use and its physical, psychological impact on the individual, and review mechanisms

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for services supporting children (including residential schools and children's homes)

Type of service

Services for children including residential child care, respite care, residential special schools, secure children's homes and healthcare settings:

- Fostering and adoption settings (see Appendix 11: Family homes)
- Children are defined by NICE as *'people aged 12 years or under'*
- Young people are defined by NICE as *'people aged between 13 and 17 years'*

Specific considerations when delivering training in this setting:

- Education, Health and Care plans must involve the co-ordination of the assessment process across education, health and care domains
- In addition to the child/young person and his or her family, those consulted may include education professionals such as nursery staff, teachers, Special Educational Needs and Disabilities Co-ordinators (SENDCOs) and educational psychologists. Physical health professionals such as GPs, paediatricians, paediatric neurologists, specialist community nurses, physiotherapists, occupational therapists, dentists, opticians, speech and language therapists and health visitors may have inputs

- Mental health professionals including clinical psychologists with expertise in learning disability and functional analysis, behavioural therapists, psychiatrists with training in child and adolescent psychiatry/learning disability/autism, specialist nurses and social care professionals such as social workers, care managers, care staff and support workers may also be consulted
- Child and Adolescent Mental Health Services (CAMHS) should ensure that staff are trained in the management of escalating behaviours of concern using a training programme designed specifically for staff working with children and young people. It would be vital to consider a developmental perspective and the fragility of patients, for example those pre-puberty (typically pre-11 to pre-14) and those teenagers with severe eating disorders
- Training programmes should include the use of psychosocial methods and behavioural techniques to avoid or minimise restrictive interventions whenever possible
- Underdeveloped anatomy, physiology and psychological/emotional capacities, as well as disparities in size between adults and children, will significantly impact on the selection of restrictive interventions, in particular physical restraint techniques
- There is also a high incidence of Adverse Childhood Experiences (ACEs) amongst populations of 'looked after' children, heightening the risk of trauma/secondary trauma being experienced. This will have significant implications for implementing trauma informed approaches to managing behaviours of concern
- ACEs may mean that some children have attachment disorders or have developed emotional and physical responses to adults that may be unsafe or unhelpful. This may have implications for the use of physical restraint and other restrictive interventions such as seclusion (which may be extremely distressing). If it is suspected that a child or young person is deliberately seeking contact through physical restraint the advice of a psychologist should be sought
- There is a link between restrictive interventions/physical restraint and security procedures such as search and confiscation. A physical restraint technique must be considered as a risk factor in and of itself

Specific adaptations to the standards for this setting:

- There must be limitations on the types of restrictive interventions/ physical restraint techniques authorised in recognition of underdeveloped anatomy/physiology, psychological/emotional abilities to cope with such experiences, and disparities in size between children and adults
- Identification of any comforting object or routines to support recovery and help children cope should be in the personalised wellbeing risk assessments and should be part of initial assessment made at point of referral

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the standards for services supporting people who are deaf and have mental health conditions

Type of service or setting

Specialist mental health services for deaf people. These include inpatient non-secure and secure psychiatric care, emergency and urgent care, community mental health teams, early intervention teams and crisis resolution and home treatment teams, community healthcare, primary care, social care and care provided in people's homes.

Specific considerations when delivering training in this setting:

- Training should emphasise the need to uphold and support the statutory rights of all deaf and hard of hearing service users under the Mental Health Act 1983 (amended 2007) and the Equality Act 2010. The Equality Act 2010 states that deaf people who use British Sign Language (BSL) constitute an officially recognised, minority cultural group in the UK and are a population with 'protected characteristics'. There is a public sector duty to ensure that service provision does not discriminate against treatment
- Training must emphasise the need to ensure effective communication at all times in order to minimise distress, confusion, frustration and any delays in receiving vital treatment. BSL is the first language of 100,000 deaf people in the UK. NB: The *Mental Health Act Code of Practice*, section 14, states that an approved mental health professional involved in the assessment must be responsible for booking and using registered Qualified Interpreters with expertise in mental health interpreting (Department of Health, 2015)

- Training must emphasise that a person centred approach involves optimising and maintaining effective communication channels, providing deaf service users with the means to communicate expressively or receive communication visually
- The trainer must be familiar with the presentation of specific conditions in the service in which they are providing training. This is to ensure that all staff are able to understand the various causes of deafness, any impact on a person's cognitive abilities, and the practicalities of ensuring communication channels are maintained
- It would be a valuable experience for any Qualified Interpreters operating within the unit to attend and/or participate in training courses relating to prevention and management of behaviours of concern, and in particular sessions covering restrictive interventions including physical restraint
- Trainers must actively involve the Qualified Interpreters in the delivery of sessions in order to deepen staff members' understanding of the patient's perspective. For any deaf members of staff, trainers must take time in advance to prepare with any Qualified Interpreter who may be supporting the session. Key terms and concepts must be clarified in advance
- The instruction model used for teaching physical restraint skills in some organisations is: Demonstrate–Participate–Explain. Deaf participants must have the opportunity to observe the demonstration and then receive a further demonstration during which they can concentrate on the BSL interpreter in order to receive an explanation of the demonstration before practising
- Qualified Interpreters must be provided with the flexibility to position themselves effectively to provide a clear visual field to deaf participants in order that they might receive information

Specific adaptations to the standards for this setting:

- Deaf service users can experience a range of mental health conditions which may present in different ways. Therefore an accurate assessment of their needs will be key when considering the use of restrictive practices, planned or unplanned. NB: Additionally, people with mental health conditions who are deaf may also have concomitant diagnoses such as autism or a learning disability

- Additional risk factors to be considered for individuals with mental health conditions, within the context of any restrictive interventions, include the following:
 - The rapid admission of service users is likely to restrict the time available to staff to complete comprehensive individualised assessments (which may include access to suitable interpreter services or staff with BSL fluency) supporting the authorisation of physical restraint techniques
 - A higher incidence of long term physical health conditions may be evidenced in diagnoses of cardiovascular diseases, diabetes, chronic obstructive pulmonary disease (COPD) and musculo-skeletal disorders
 - A higher incidence of health neglect and damaging personal habits may be evidenced in patterns of smoking, drinking, substance abuse and poor diet
 - A higher incidence of psychological impairment may be evidenced in unwillingness on the part of service users to co-operate with staff and make decisions in their own best interests. This may be linked to staff decisions to use restrictive practices, as well as how service users respond to them. Therefore it should be considered an organisational risk factor, as well as an individual risk factor
 - In addition to a higher incidence of exposure to traumatising events amongst this population, individuals who are deaf and rely upon BSL may be additionally traumatised where services are not able to support an individual's communication needs. Trauma history may not always be known. If a person displays signs that may indicate past abuse the personalised wellbeing risk assessment should be updated
 - Additional consideration must be given to any evidence of recorded histories of prior exposure to restraints, violence and/or abuse and neglect, particularly among women and girls where gender and gender differences have been a key dynamic. These are linked to increased sensitisation to restrictive interventions such as some physical restraints or seclusion or witnessing a restrictive intervention being used on someone else
 - A greater likelihood that mood stabilisers or anti-psychotics will be prescribed and administered within forensic and high secure settings may be evidenced in side effects including high blood pressure, disturbed heart rhythms, dizziness, confusion or stupor

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the standards for services supporting people who have eating disorders

Type of service

Specialist eating disorder (ED) services provide support to individuals with a range of different mental health disorders that involve disordered eating behaviour and a disordered perception of body image. Behaviours can include restriction of dietary intake, bingeing, purging (including vomiting and laxative misuse) and excessive exercise, or a combination of these behaviours. The majority of inpatient services provide short term treatment offering a more recovery focused programme, focusing on refeeding, weight maintenance and recovery.

Refeeding may include naso-gastric (NG) tube feeding and may need to be completed with the use of physical interventions.

Specific considerations when delivering training in this setting:

- The individual's age and specific eating disorder pathology will have a bearing on their psychological and emotional resilience. Reduced psychological and emotional reserves are likely to result in any restrictive intervention being experienced as a hostile, overwhelming and/or traumatising one. This will have significant implications for implementing trauma informed approaches to managing behaviours of concern

- Eating disorders are also often associated with low weight and can cause serious physical health issues including poor bone health, low energy levels, and interruption to or cessation of menstruation, all of which can impact on internal organs such as the heart. Inpatient treatment is often needed for patients with significant weight loss, chronic or complex conditions and a large part of treatment focuses on controlled refeeding. This will significantly impact on the selection of restrictive interventions, in particular physical restraint techniques
- Training must promote the importance of providing a positive and safe therapeutic environment. For example, specific attention needs to be paid to the use of language and effective communication when working with ED, avoiding the misuse of praise and references to 'lifesaving treatment'
- Ward based trainers are well placed to deliver or support the development of training due to their experience, knowledge and specific skill set gained from working in specialised services. This will help to link clinical practice with training
- If training covers assisting there must be a focus on using the least restrictive interventions

Specific adaptations to the standards for this setting:

- There must be limitations on the types of restrictive interventions/ physical restraint techniques authorised in recognition of under-developed anatomy/physiology and psychological/emotional abilities to cope with such experiences
- Procedures need to account for the space, time and understanding required to justify and support prolonged restraint due to the natural delivery time of NG feed
- More staff may be required in order to safely manage an incident involving treatment resistance
- Physical adjuncts may be required to maintain safety and reduce prolonged restraint
- Possible items used in the management of NG feed restraint may include neck collar protection, cushions or beanbags, as well as the possible use of soft cuffs to reduce physical restraints and the use of bespoke 'feeding sofas'
- Support structures should be place in order to help staff manage their emotions, anxieties and trauma related concerns when dealing with individuals in psychological and emotional distress, in particular around NG feed restraints

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for services supporting people who have learning disabilities

Type of service

Services for people with a learning disability are also referred to as intellectual disability services. Services are inclusive of residential, social care, and individual's tenancies working within family home and health or hospital service setting.

People with a learning disability have reduced intellectual ability and may therefore take longer to learn and may need support to develop new skills or understand complicated information. People with a learning disability can also have concomitant mental illness and other neuro-developmental disorders such as autism and ADHD, as well as sensory and communication difficulties.

Specific considerations when delivering training in this setting:

- Interventions aimed at minimising any restrictive practices are more comprehensive when they arise from multi-disciplinary consultation
- Psychosocial interventions include a broad range of therapeutic approaches designed to support the person. They are generally non-pharmacological and aim to identify underlying factors for behaviour, reduce the person's distress and increase their skills. Approaches include communication interventions, applied behaviour analysis, positive behaviour support and cognitive behavioural therapy

- A multi-disciplinary team, care managers and social care providers should ensure that staff are trained in the management of escalating behaviours of concern using a training programme designed specifically for staff working with people with a learning disability. Training programmes should include the use of psychosocial methods and behavioural techniques to avoid or minimise restrictive interventions whenever possible
- The communication needs of people with a learning disability, particularly the needs of people who are unable to communicate through speech, should be taken into account in any assessment
- Underdeveloped psychological and emotional capacities are likely to result in any restrictive intervention being experienced as a hostile, overwhelming and/or traumatising one
- People with a learning disability are at significantly increased risk of exposure to events with the potential to result in trauma symptoms, but such symptoms may be less likely to be recognised
- The link between restrictive interventions/physical restraint and security procedures such as search and confiscation should be noted
- Identification of any comforting object or routines to support recovery should be part of individual assessment
- People with a learning disability have an increased incidence of physical health conditions, but such issues may not always be recognised. Any risk assessment for the use of restrictive physical interventions should include a full medical review if one has not been undertaken recently in response to the presentation of behaviours of concern. The presentation of any behaviours of concern and/or distress may be a response to an underlying health problem and should always be investigated fully
- As with people who have mental health conditions, people with learning disabilities are not a homogeneous group and are likely to have suffered a range of adverse psychosocial experiences that may include bullying, abuse, trauma, over-medication and unnecessary use of restrictive practices

Specific adaptations to the standards for this setting:

- There must be limitations on the types of restrictive interventions/physical restraint techniques authorised in recognition of underdeveloped psychological/emotional abilities to cope with such experiences
- There are processes in identifying health or sensory problems early
- There must be a focus on providing strategies and interventions to support communication

In the event there is to be a planned response to any behaviour of concern that involves a restrictive intervention, it is best practice to ensure that this is supported by the consent of the individual in question or a best interests decision. Such advanced decisions should be recorded in plans that detail the decision making process, the consultation that was undertaken, why it is necessary, how it is the least restrictive intervention, the risk factors that have been identified, the safeguards in place to minimise its use and its physical, psychological impact on the individual, and review mechanisms.

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

DRAFT

Specific considerations and adaptations to the training standards for services supporting people who have mental health conditions

Type of service

Includes inpatient psychiatric care, emergency and urgent care, secondary mental health care (such as care provided by assertive community teams, community mental health teams, early intervention teams and crisis resolution and home treatment teams), community healthcare, primary care, social care and care provided in people's homes.

Specific considerations when delivering training in this setting:

- People with mental health conditions are not a homogeneous group. They may have a range of mental health conditions that present in different ways – the training provider should be familiar with the presentation of specific conditions in the service in which they are providing training. Additionally people with mental health conditions may have concomitant diagnosis such as autism and a learning disability
- Any behaviour management strategies stand within broader programmes that focus on recovery and care. Use of restrictive interventions will need to be contextualised and positioned within any overall plan and all individualised behaviour management strategies
- Additional risk factors to be considered for individuals with mental health conditions, within the context of any restrictive interventions, include the following:
 - The rapid admission of service users is likely to restrict the time available to staff to complete comprehensive individualised assessments supporting the authorisation of physical restraint techniques
 - A higher incidence of long term physical health conditions may be evidenced in diagnoses of cardiovascular diseases, diabetes, chronic obstructive pulmonary disease (COPD) and musculoskeletal disorders

- A higher incidence of health neglect and damaging personal habits may be evidenced in patterns of smoking, drinking, substance abuse and poor diet
- A higher incidence of psychological impairment may be evidenced in unwillingness on the part of service users to co-operate with staff and make decisions in their own best interests. This may be linked to staff decisions to use restrictive practices, as well as how service users respond to them. Therefore it should be considered an organisational risk factor, as well as an individual risk factor
- A higher incidence of exposure to traumatising events may be evidenced by recorded histories of prior exposure to restraints, violence and/or abuse and neglect, particularly among women and girls where gender and gender differences have been a key dynamic. These are linked to increased sensitisation to restrictive interventions such as some physical restraints or seclusion or witnessing a restrictive intervention being used on someone else. Trauma history may not always be known if a person displays signs that may indicate past abuse. The personalised wellbeing risk assessments should be updated
- A greater likelihood that mood stabilisers or anti-psychotics will be prescribed and administered within forensic and high secure settings may be evidenced in side effects including high blood pressure, disturbed heart rhythms, dizziness, confusion or stupor. Training should also cover advance decisions and advance statements and the legal obligation attached to both
- The training should consider the legal issue of consent to the use of restrictive interventions and should take into account current legislation and guidance

Specific adaptations to the standards for this setting:

- Community mental health teams should not use physical restraint in community settings. In situations of medium risk, staff should consider using breakaway techniques and de-escalation. In situations of high risk, staff should remove themselves from the situation and, if there is immediate risk to life, contact the police

In the event there is to be a planned response to any behaviour of concern that involves a restrictive intervention, it is best practice to ensure that this is supported by the consent of the individual in question or a best interests decision. Such advanced decisions should be recorded in plans that detail the decision making process, the consultation that was undertaken, why it is necessary, how it is the least restrictive intervention, the risk factors that have been identified, the safeguards in place to minimise its use and its physical, psychological impact on the individual, and review mechanisms.

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for services supporting older people and people who are living with dementia

Type of service

Specialist dementia services which are designed to offer care and support to older adults experiencing mental health problems and cognitive decline as a result of the changes associated with Alzheimer’s disease, vascular dementia, Lewy Body dementia, fronto-temporal dementia and other forms of dementia. People with dementia can also have learning difficulties, as well as concomitant diagnoses including other functional mental health issues as well as autism.

Specific considerations when delivering training in this setting:

- Support provided within older adult/dementia services will aim to continue to promote personal independence whilst ensuring safety of the individual and those around them
- People with dementia can benefit from a high level of input from family carers or family members. They can both help the individual make sense of what is happening around them and provide insight and information that can be invaluable to the care team. The individual can have a complete lack of comprehension and therefore find it impossible to understand and follow instructions from staff. They are in a different reality and the use of restrictive practices including physical or mechanical restraint is likely to be terrifying and dangerous
- Any behaviour management strategies are likely to be supplemented/supported by personalised programmes/plans of care which should reflect the needs and wishes of the individual, as well as considering any advance directives which may have been agreed. Physical restraint will need to be contextualised and positioned within any overall plan and all individualised behaviour management strategies
- Additional risk factors to be considered for older people and people who are living with dementia, within the context of any restrictive interventions, include the following:
 - A rapid admission of a service user is likely to reduce the time available to staff to complete comprehensive individualised assessments supporting the authorisation of physical restraint techniques
 - Where a person has experienced long term mental health difficulties leading into older adulthood, a higher incidence of long term physical health conditions may be evidenced in diagnoses of cardiovascular diseases, diabetes, chronic obstructive pulmonary disease (COPD) and musculoskeletal disorders. Consideration must also be given to 'age-related' health conditions such as arthritis and osteoporosis which may also increase the risks within the areas above or develop in later life

- Where a person is experiencing cognitive decline related to their mental health or potential dementia, the impact can be significant. The development of multiple higher cortical deficits, including those associated with perceiving, understanding, problem solving, remembering, learning and making judgements can be both frightening and disorientating. This may be considered a risk factor in respect to the presentation of behaviours of concern, as well as within the context of any physical restraint technique
 - A higher incidence of personal neglect may be evidenced in patterns of personal care, taking of fluids/drinking, poor diet or the refusal of food. This can increase the likelihood of poorer general health and increase the risk of infection and malnutrition
 - Difficulties with swallowing, that raise the risk of choking or aspiration, would add to any distress experienced during a restraint
 - The development of 'delirium' (a treatable condition which can be over-shadowed by diagnosis such as dementia, as the person can experience memory loss, confusion and/or hallucinations) could give rise to behaviours of concern, as well as compromising the ability of the individual to make sense of what is happening and communicate effectively with those in a position to help
 - The potential for a higher incidence of psychological impairment amongst the population with dementia could be manifested in a perceived unwillingness to co-operate with staff. This may lead to staff considering decisions that might need to be made based on best interests. This in turn may be linked to staff decisions to use restrictive practices
 - An increased likelihood of a person experiencing 'poly-pharmacy' or the prescribing of more than one medication may be evidenced in side effects including high blood pressure, disturbed heart rhythms, dizziness, confusion or stupor. There is also the complication of drugs interacting with each other
- There is a link between restrictive interventions/physical restraint and security procedures such as search and confiscation

Specific adaptations to the standards for this setting:

- There must be explicit safety guidelines and monitoring protocols developed for all types of restrictive interventions/physical restraint techniques authorised in recognition of the risk factors described above. The process of identifying potential risks and agreeing suitable safeguards will require cross disciplinary collaboration with input potentially being required from dieticians, speech and language therapists, psychologists, physiotherapists, occupational therapists and pharmacists
- Consideration must be given to safety limits within procedures supporting physical restraint, eg the number of staff involved, in recognition of likely disparities in size/strength, as well as the gender mix of teams responding to behaviours of concern
- Where staff may be required to use restrictive practices/restraint techniques as part of personal care, the emphasis must be placed on personalised planning and support, including additional emphasis on therapeutic/clinical holding
- In emergency assessment units, wherein staff may be required to use restrictive practices/restraint techniques as part of the rapid admission/assessment process, additional time should be spent during training sessions to discuss the local protocols in place to manage the heightened risks
- Personalised wellbeing risk assessments should be completed and the training provider should be proactive in acquiring the most current anonymised information available about individual patients

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for adult acute psychiatric wards and PICUs

(Please also refer to Appendix 7: Services supporting people who have mental health conditions)

Type of setting

Acute services including those referred to as PICUs (Psychiatric Intensive Care Units), are likely to be required to provide rapid assessment and therapeutic psychiatric services for individuals who may be experiencing a mental disorder, an acute episode of mental illness, personality disorder or neurodevelopmental disorders such as learning disability and autism and who present a significant risk of harm to themselves and others including staff and members of the public. Acute services as part of their commissioning may be expected to provide care and support within acute medical areas such as Accident and Emergency. This care could be considered emergency, or unplanned. Individuals accessing a PICU should be detained compulsorily under the appropriate mental health legislative framework, and the clinical and risk profile of the patient usually requires an associated level of security (NAPICU, 2016).

Specific considerations when delivering training in this setting:

- Support provided within acute/PICU services will aim to continue to promote recovery as well as personal independence whilst ensuring protection of the public. However, within a PICU environment this may be superseded by actions which seek to offer stabilisation through psychological, psychosocial or pharmacological means. Both areas will require the provision of appropriate levels of physical, procedural and relational security. Physical restraint will need to be contextualised and positioned within any overall security management strategy
- The rapid admission of service users to acute or PICU services is likely to restrict the time available to staff to complete comprehensive individualised assessments supporting the authorisation of physical restraint techniques. It is recommended that within these circumstances a plan be developed within 48 hours (admission dependent) with a maximum timeframe of seven days. This is an individual risk factor to be considered within the context of any physical restraint technique
- Behaviour management strategies may in some circumstances be accessible and therefore should be utilised to supplement/support an admission by ensuring that care offered is based on an individual's personalised recovery-oriented programmes/plans, understanding of a person's trauma journey, recognition of any self-injury reduction programmes, managing emotions programmes and communication development programmes. It may not always be possible to identify internal triggers but review may identify conditions and factors that make people's distress more likely to occur or impact on the severity of distress.
- Restrictive interventions may include the use of mechanical restraints/restraint devices in a very limited number of very clearly delineated situations. These can include the administration of some emergency medical treatments, when the behaviours of concern being presented are likely to seriously jeopardise the individual's safety, eg attempting to remove catheters, arterial lines and breathing tubes. The use of mechanical interventions is likely to give rise to additional risks such as potential interference with circulation, and potential damage to nerves
- There is also the risk that such devices begin to be thought of as a means of managing more general behaviours of concern. A clear authorisation process and reduction plan needs to be developed. These risks are linked to both the application of restraint devices, and the misapplication of devices, so staff will need clear guidance and training on how to apply them safely
- There is a link between restrictive interventions/physical restraint and security procedures such as search and confiscation

Specific adaptations to the standards for this setting:

- There must be explicit safety guidelines and monitoring protocols developed for all types of restrictive interventions/physical restraint techniques authorised in recognition of the risk factors presented by co-morbidities, damaging personal habits, psychological impairment, exposure to prior trauma and the side effects of medication
- There must be consideration given to safety limits within procedures supporting physical restraint, eg the number of staff involved, in recognition of likely disparities in size/strength, as well as the gender mix of teams responding to behaviours of concern
- Additional time should be spent during training sessions to discuss the local protocols in place in emergency assessment to manage the heightened risks involved in the rapid admission/assessment process
- Personalised wellbeing risk assessments should be completed as soon as possible and the training provider should be proactive in acquiring the most current anonymised information available about individual patients. Advice is that this should be developed within the first 48 hours; however, where information is being collated then up to seven days should be seen as a maximum time frame
- Additional risk assessments will be required to cover the application of any mechanical restraints. These should cover the risks arising from their application and the vulnerability of the individual they are being applied on. It is possible that physical restraint techniques may be included in any application procedure, so any risk assessments should be considered in parallel
- Additional training time will be required to cover the criteria for using devices, the application of them, any contra-indications for fitting, safety monitoring protocols and criteria for release

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for Emergency Departments

Type of setting

Emergency Departments (EDs) are a consultant led 24 hour service with full resuscitation facilities and designated accommodation for the reception of accident and emergency patients.

EDs (Emergency Departments) often manage patients who may exhibit behaviours of concern. These are often associated with mental health problems, a learning disability, dementia, intoxication (alcohol/drugs) and autism.

Specific considerations when delivering training in this setting:

- Specific training regarding the causes and management of behaviours of concern in a busy ED environment should be at the core of any training programme. It is important to note that many ED staff receive only minimal training in the care of patients with mental health problems, learning disability, dementia, or other intellectual impairments. Additionally, patients who are intoxicated through alcohol or substances may also present in ED with behaviours of concern

- Organic disease may hide behind a psychiatric disorder and full biological assessment is essential to avoid diagnostic overshadowing (where signs and symptoms are ignored or not fully assessed and are attributed to the primary condition, eg learning disability or mental health problem). Reactive psychiatric symptoms and behavioural responses may occur as a response to pain, fear, infection or chronic disease. This is more common in older adults, paediatrics, immunosuppressed and cancer patients. Recognition of physical deterioration in patients is essential and the relevant NICE guidelines should be included in training (Clinical Guideline CG50) (NICE, 2007). An assessment that considers the potential biological, psychological, pharmacological and social causes of behaviour will help to prioritise appropriate actions. The pharmacological domain should explore street drugs, alcohol, legal highs and over the counter medication as well as prescribed medications

Specific adaptations to the standards for this setting:

- Training must cover supporting patients coming from prison or low (such a psychiatric intensive care), medium or high secure mental health settings, who must arrive with their own staff who should take responsibility for any restrictive interventions. On-site security teams should be alerted at the time of admission of these patients, should support be needed, and this should be reflected in organisational policy. Where possible a separate space aside from the main ED should be allocated for specific use by this patient group. This space may also be used for other disturbed patients (including intoxicated patients) or those needing psychiatric assessment by the psychiatric liaison team (PLT). The space should be risk assessed, ligature free and not contain any objects that could be used as weapons.

It is also important to check that the patient is not carrying potential weapons or illicit substances on their person. This can be discreetly performed by replacing outdoor clothing with a hospital gown. NICE guidelines on violent and aggressive behaviours in people with mental health problems (QS154) (NICE, 2017b) should be alluded to in training

- If the on-site security team (or in some cases, the police) are called and physical intervention is considered necessary as a last resort, medical and senior nursing staff must remain present throughout to monitor the patient's physical health and ensure that the least force is utilised for the shortest space of time
- Any form of restrictive intervention must be recorded in the patient's notes, including the duration of the intervention and description of which body part(s) were held. An incident form must also be completed using the organisation's reporting systems detailing all aspects of the event
- Any use of mechanical restraint such as mittens must be prescribed in writing by senior medical staff (Consultant or Senior Registrar) and the care team informed
- Chemical restraint may be given when prescribed by senior medical staff, as per organisational policy, should rapid tranquilisation be considered necessary. Oral medication shall be offered in the first instance where not contraindicated due to medical condition
- Psychiatric emergencies (including S136 MHA, 1983) and transfers to mental health facilities shall be accompanied by staff and a risk assessment must be in place, as per organisational protocol
- Relationships with psychiatric liaison teams are crucial to the functioning of ED and where possible integrated training should take place with both staff teams included

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for family homes

(Please also refer to Appendix 14: Lone workers)

Type of setting

Family homes. The training could be delivered to family members and friends, other carers paid or unpaid, personal assistants, home tutors and other professionals.

Specific considerations when delivering training in this setting:

- Lone working arrangements relating to personal assistants*/carers, home tutors, and other health/social care professionals working in these settings (see Appendix 14: Lone working)
- With regard to restrictive interventions/physical restraint see relevant considerations in Appendix 3: Children's services

* The Health and Safety at Work Act 1974 does not apply to activities classed exclusively as 'domestic services' carried out in 'private households'. Personal care provided within someone's own home may be 'domestic service' and therefore may fall within this dis-application. Clarity would need to be sought.

Specific adaptations to the standards for this setting:

- There must be a strong focus on personal safety and avoidance of any procedures involving restrictive interventions/physical restraint when the behaviours of concern are presented by children or young persons, and when staff are working alone. (See Appendix 14: Lone working)

- With regard to the approval of any restrictive interventions and the specification and authorisation of any physical restraint technique, it is strongly advised that any decisions are made only after full and thorough multidisciplinary consultation, and following a consideration of all the psychological and emotional risks (likely impacted by any developmental trauma or abuse) and any physical risks (likely impacted by immature anatomy and physiology) (see relevant considerations in Appendix 3: Children's services)
- Arrangements for post-incident support and review for all parties must be agreed prior to delivering training, and recording protocols should be manageable for family members. These should be covered within the curriculum

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for forensic and high secure services

(Please also refer to Appendix 4: Services for people who have mental health conditions)

Type of service

Forensic and high secure mental health services, specifically those providing a therapeutic psychiatric service for individuals with a mental disorder, mental illness, personality disorder or neurodevelopmental disorders such as learning disability and autism and who present a significant risk of harm to themselves and others including staff and members of the public.

Specific considerations when delivering training in this setting:

- Training in high secure services must be delivered in accordance with the NICE-approved Positive and Safe training manual: *Violence Reduction and Management Programme* (West London Mental Health Trust, 2016 – for further information visit <https://bit.ly/2zR1khO>)
- Support provided within forensic/secure services will aim to promote recovery as well as personal independence whilst ensuring protection of the public. This will involve the provision of appropriate levels of physical, procedural and relational security. Physical restraint will need to be contextualised and positioned within any overall security management strategy
- The rapid admission of service users is likely to restrict the time available to staff to complete comprehensive individualised assessments supporting the authorisation of physical restraint techniques. This is an individual risk factor to be considered within the context of any physical restraint technique
- Restrictive interventions may include the use of mechanical restraints/restraint devices in a very limited number of very clearly delineated situations. These can include the administration of some emergency medical treatments, when the behaviours of concern being presented are likely to seriously jeopardise the individual's safety, eg attempting to remove catheters, arterial lines and breathing tubes. The use of mechanical interventions is likely to give rise to additional risks such as potential interference with circulation, and potential damage to nerves
- There is also the risk that such devices begin to be thought of as a means of managing more general behaviours of concern. A clear authorisation process and reduction plan needs to be developed. These risks are linked to both the application of restraint devices, and the misapplication of devices, so staff will need clear guidance and training on how to apply them safely
- There is a link between restrictive interventions/physical restraint and security procedures such as search and confiscation

Specific adaptations to the standards for this setting:

- There must be explicit safety guidelines and monitoring protocols developed for all types of restrictive interventions/physical restraint techniques authorised in recognition of the risk factors presented by co-morbidities, damaging personal habits, psychological impairment, exposure to prior trauma and the side effects of medication
- There must be consideration given to safety limits within procedures supporting physical restraint, eg number of staff involved, in recognition of likely disparities in size/strength, as well as the gender mix of teams responding to behaviours of concern
- Within high secure/forensic settings the appointment of an overall lead (or response 'controller') within the context of any restrictive intervention/physical restraint is recommended
- Additional time must be spent during training sessions to discuss the local protocols in place in emergency assessment units to manage the heightened risks involved in the rapid admission/assessment process
- Personalised wellbeing risk assessments should be completed as soon as possible and the training provider shall be proactive in acquiring the most current anonymised information available about individual patients
- It is expected that information about existing medical conditions can be accessed very quickly. Other information needed to complete the personalised wellbeing risk assessment must be gathered within 48 hours, with seven days being the limit for a completed assessment. When they have received the anonymised information the training provider must advise on any adaptations or contra-indications to the range of techniques that can be used on that person as soon as the information is received. It is expected that the training provider has a protocol for dynamic personalised wellbeing risk assessments which has been agreed with the commissioning organisation
- Additional risk assessments will be required to cover the application of any mechanical restraints. These must cover the risks arising from their application, and the vulnerability of the individual they are being applied on. It is possible that physical restraint techniques may be included in any application procedure so any risk assessments must be considered in parallel
- Additional training time will be required to cover the criteria for using devices, the application of them, any contraindications for fitting, safety monitoring protocols and criteria for release

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Type of setting

Foster carers/foster caring. One of a number of care options that offers children a home when they are unable to live with their birth family.

Specific considerations when delivering training in this setting:

- Only behaviour management strategies and policies agreed by local authorities and fostering agencies must be authorised for use
- Distinctions shall be made between caring and supportive touch, and coercive touch; and between caring and supportive holding, and coercive holding
- With regard to restrictive interventions/physical restraint see relevant considerations in Appendix 3: Children's services
- In those settings where an adult may apply a restrictive intervention/physical restraint technique on a child without direct support or supervision the practicalities and limitations of 1:1 practices must be considered. It is vital that there are robust processes and procedures in place so as to ensure that the child's voice can be heard in relation to any safeguarding issues/concerns
- Identification of any comforting object or routines to support recovery and help children cope should be in the personalised wellbeing risk assessments and should be part of initial assessment made at point of referral

Specific adaptations to the standards for this setting:

- There must be a strong focus on personal safety and avoidance of any procedures involving restrictive interventions/physical restraint when the behaviours of concern are presented by children or young persons, and when foster parents/carers are working alone. See Appendix 14: Lone working
- With regard to the approval of any restrictive interventions and the specification and authorisation of any physical restraint technique, it is strongly advised that any decision is made only after full and thorough multi-disciplinary consultation, and following a consideration of all the psychological and emotional risks (likely impacted by any developmental trauma or abuse) and any physical risks (likely impacted by immature anatomy and physiology) (see relevant considerations in Appendix 3: Children's services)
- In the event that a 1:1 intervention is considered, a risk assessment covering this dynamic must be undertaken before any strategy or technique is authorised for use
- Arrangements for post-incident support and review for all parties must be agreed prior to delivering training and recording protocols should be manageable for foster carers. These must be covered within the curriculum

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for lone workers

Type of setting

Lone workers are those who work by themselves without close or direct supervision. This may include those working outside of normal hours, or within satellite locations. Lone workers may include personal assistants, home tutors, social workers, healthcare professionals and mental health workers.

Specific considerations when delivering training in this setting:

- The need for staff to be able to conduct dynamic risk assessments in support of formal risk assessments and agreed safety procedures
- How the assessment and management of risk is impacted by lone working status
- The role of tracking, communication and alarm systems in mitigating against harms

Specific adaptations to the standards for this setting:

- A prohibition on restrictive interventions/restraint techniques is likely, based on lone working arrangements
- A strong emphasis on responses likely to ensure safety, keeping personal distance, de-escalation and strategic capitulation
- Arrangements for post-incident support and review for all parties should be agreed prior to delivering training and must be covered within the curriculum

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for schools

Type of setting

This includes local authority maintained schools, academies and free schools, pupil referral units, non-maintained special schools, independent schools and sixth form colleges.

Specific considerations when delivering training in this setting:

- Teachers have the power to discipline pupils for misbehaviour and this includes the power to use reasonable force to prevent pupils from hurting themselves or others
- The use of force cannot be as a punishment – it is always unlawful to use force as a punishment
- In order to minimise risk, and safeguard children against harm, the way in which restrictive interventions, including physical restraint, are authorised and used must be carefully considered. This duty of care cannot be avoided or must not be subverted by misleading terminology. Within schools, and other educational establishments, 'physical restraint' may be referred to as 'physical intervention' or even simply as the 'use of force'. Alternatively, reference may be made to the function of the force, such as its use 'to control pupils or to restrain pupils'. Furthermore, within policy documents reference may be made to specific training systems and even types or levels of physical holds

- For the purpose of these training standards any physical contact undertaken by a staff member, with the intention to *'restrict, or subdue movement of the body (or part of the body) of the student or pupil'* should be seen as amounting to *'physical restraint'* (Department of Education, 2013b)
- Underdeveloped anatomy, eg bone size, shape and density, will significantly impact on the selection of restrictive interventions, in particular physical restraint techniques
- Underdeveloped physiology, eg underdeveloped ability to regulate breathing rate and temperature, will impact on the selection of techniques to be included in any training syllabus
- Underdeveloped psychological and emotional capacities are likely to result in any restrictive intervention being experienced as a hostile, overwhelming and/or traumatising one
- There may be children within the school, often those who display behaviours of concern, who may have been exposed to Adverse Childhood Experiences (ACEs). As a result children can be traumatised, and at risk of re-traumatisation. The nature and presence of such prior experiences will have significant implications on how behaviours of concern are managed, in particular with restrictive interventions including physical restraint
- Possible disparities in size/strength and gender differences between adults and children, and the ratio of staff to pupils in the context of any restrictive intervention or physical restraint, should be considered as risk factors
- The link between the use of restrictive interventions/ physical restraint and security procedures such as search and confiscation should be considered as a risk factor, ie the removal of personal items and/or weapons is likely to heighten emotions and potentially have an impact on decision making

- In some instances physical restraint may be used in incidents that result in the application of other restrictive interventions such as the use of seclusion/isolation rooms. Schools can adopt a policy which allows disruptive pupils to be placed in an area away from other pupils for a limited period, in what are often referred to as seclusion or isolation rooms. Guidance issued in 2016 by the Department for Education states that *'any use of isolation that prevents a child from leaving a room of their own free will should only be considered in exceptional circumstances. The school must also ensure the health and safety of pupils and any requirements in relation to safeguarding and pupil welfare'* (Department of Education, 2016)
- An increasing number of special schools are using specially constructed PVC tents within classrooms. Such tents are often used as sensory areas, quiet/safe spaces or as alternative teaching locations
- Some tents can be zipped up from the outside to prevent the student from leaving. If a child were enclosed within such a tent by a staff member this would likely constitute a deprivation of liberty and compromise the student's human rights. Such tents should never be used in this way, or threatened as a form of punishment

Specific adaptations to the standards for this setting:

- Trainers should discuss 'intervention creep' as well as the use of euphemisms to disguise or hide restrictive interventions (consciously or unconsciously). For example, a verbal reprimand is permitted within DfE guidelines on behaviour and discipline in schools; however, if the teacher deliberately stands over a child and prevents them leaving the classroom the intervention may become a deprivation of liberty. Likewise the same guidelines state that school based community service punishments may be appropriate if used in line with the school policy; however, time in the 'safe space', 'sensory tent', 'chill out room', 'de-escalation/quiet room' or teacher imposed 'garden time' can be unwarranted punishments or restrictions of liberty by another name

- Any authorised restriction of liberty, in the form of a physical restraint, should be used for no longer than is absolutely necessary. Quite apart from infringing on human rights, time is a risk factor within the context of any physical restraint
- There should be limitations on the types of restrictive interventions/physical restraint techniques authorised in recognition of underdeveloped anatomy/physiology, underdeveloped psychological/emotional abilities to cope with such experiences, and likely disparities in size/strength between children and adults
- The gender of staff and that of pupils needs to be considered, with safeguards in place to avoid traumatising/re-traumatising experiences, as well as avoid any scope for allegations of inappropriate physical contact
- Identification of any comforting object or routines to support recovery and help children cope should be in the personalised wellbeing risk assessments
- Children attending residential special schools in England are protected under the Children Act (1989) through the Residential Special Schools National Minimum Standards (Department for Education, 2013a): *'no school should restrict the liberty of a child as a matter of routine or provide any form of secure accommodation'*

Training providers delivering training in other countries must refer to country specific legislation.

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for Tier 4 Child and Adolescent Mental Health Services (CAMHS)

Type of service or setting

Child and Adolescent Mental Health (CAMH) Tier 4 Children's Services deliver specialist inpatient and day-patient care to children who are suffering from severe and/or complex mental health conditions that cannot be adequately treated by community CAMH services. Many of the children and young people who are admitted to these services have experienced unsuccessful treatment regimes in tier 1 to 3 community or other services and may be detained under the Mental Health Act 1983 (Amended 2007).

Specific considerations when delivering training in this setting:

- There must be an emphasis on working collaboratively with parents/carers to provide family centred care. To this end, there must be effective communication between service users and their families, health providers and other involved agencies using the Care Planning Approach, so that families and professionals are fully involved in decisions related to treatment as well as any planned responses to behaviours of concern

- Training must emphasise the need for, and value of, investing in a meaningful engagement process with patients and family members in order to enhance the therapeutic alliance between patient and staff
- Training must also consider providing an understanding of how to recognise and respond to those children/young people who may be affected by being involved in or witnessing physical interventions, especially those with a history of trauma and abuse
- Ward based trainers are well placed to deliver or support the development of training due to their experience, knowledge and specific skill set gained from working in specialised services. This will help to link clinical practice with training
- Underdeveloped and over-developed anatomy, eg bone size, shape and density, underdeveloped physiology, and disparities in size between children and adults will significantly impact on the selection of restrictive interventions, in particular physical restraint techniques
- Underdeveloped psychological and emotional capacities are likely to result in any restrictive intervention being experienced as a hostile, overwhelming and/or traumatising one. This will have significant implications for implementing trauma informed approaches to managing behaviours of concern
- The safety of any restrictive interventions, in particular physical restraint techniques, is contingent upon the impact of such techniques being carefully considered and managed
- The psychological, emotional and physical vulnerabilities linked to the presentation of any of the following should be considered risk factors: psychosis, eating disorders, affective disorders, developmental disorders including autism, neurodevelopmental disorders such as learning disability and autism, attention deficit hyperactivity disorder (ADHD), tic disorders, obsessive compulsive disorders, anxiety and emotional disorders, self-harming behaviours, attachment and emotional regulation disorders, as well as a primary diagnosis of mental illness with co-morbid learning difficulties. In order to manage the risks arising, collaboration with, and input from, allied health professionals is likely to be necessary

Specific adaptations to the standards for this setting:

- There must be limitations on the types of restrictive interventions/physical restraint techniques authorised in recognition of underdeveloped anatomy/physiology, underdeveloped psychological/emotional abilities to cope with such experiences, and likely disparities in size/strength between children and adults
- Support structures should be in place in order to help staff manage their emotions, anxieties and trauma related concerns when dealing with children and adolescents
- Training programmes for this setting must be flexible, and kept under review, in order to ensure they are able to adopt changes in line with clinical evidence-based practices supported by incident data analysis
- Children and young people in these settings should be involved in developing certain aspects of training in relation with primary, secondary and tertiary strategies
- There should be a framework/processes in place to involve children/young people/ parents in making decisions on the use of unavoidable restrictive interventions offered by services, and in the use of least restrictive intervention as part of their treatment plans (eg PILRIMP – Patient Inclusion in Least Restrictive Intervention and Management Plan)
- The framework (such as PILRIMP) must be part of the training programme for staff to understand the value of positive engagement with children and young people in order to reduce and to manage their emotions, anxieties and trauma related concerns when using restrictive interventions
- The training provider must provide a list of all restrictive interventions that are taught to staff so that the commissioning organisation can make this information available to children/young people/parents with the information as to why, when and how these restrictive interventions can be used as part of treatment plans
- Photos/leaflets of restrictive interventions techniques must be provided to children/young people/parents as part of an admission pack to help them to manage their emotions, anxieties and trauma related concerns in the use of possible unavoidable restrictive interventions

Specific guidance/legislation relating to delivering training in this setting/service:

- Mental Health Act 2007 and Code of Practice
- Mental Capacity Act 2005 and Code of Practice
- Deprivation of Liberty Act 2010
- The Children Act 1989 and Children Act 2004.
- Department of Health Guidance for Restrictive Physical Interventions (July 2002)
- United Nations Convention on the Rights of the Child 1989
- Protection of Children Act 1999
- NICE (2015) *Violence and aggression: short-term management in mental health, health and community settings*. NICE guideline NG10
- NICE (2004) *The short-term physical and psychological management and secondary prevention of self-harm in primary and secondary care*. NICE clinical guideline 16
- Royal College of Nursing (2010) *Restrictive physical intervention and therapeutic holding for children and young people. Guidance for nursing staff*. London: RCN
- Department of Health and Social Care and Department for Education (2017) *Reducing the Need for Restraint and Restrictive Intervention Children and Young People with Learning Disabilities, Autistic Spectrum Disorder and Mental Health Difficulties* (Consultation document)
- National Decision-Making Model (NDM), College of Policing

Specific considerations and adaptations to the training standards for services in England

Specific adaptations to the standards:

The Department of Health's document *Positive and Proactive Care* (2014) relates to health and social care services where individuals who are known to be at risk of being exposed to restrictive interventions are cared for. Such settings may provide services to people with mental health conditions, autistic spectrum conditions, learning disabilities, dementia and/or personality disorders, older people and detained patients. It is more broadly applicable across general health and social care settings where people using services may on occasion present with behaviour that challenges, but which cannot reasonably be predicted and planned for on an individual basis. This may include homes where individuals employ their own support staff, and community-based primary and secondary care settings. 'Restrictive interventions' are defined within the guidance as: *'deliberate acts on the part of other person(s) that restrict an individual's movement, liberty and/or freedom to act independently in order to:*

- *take immediate control of a dangerous situation where there is a real possibility of harm to the person or others if no action is undertaken; and*
- *end or reduce significantly the danger to the person or others; and*
- *contain or limit the person's freedom for no longer than is necessary.'*

The legal and ethical basis for organisations to allow their staff to use restrictive interventions as a last resort is founded on eight overarching principles:

1. Restrictive interventions shall never be used to punish or for the sole intention of inflicting pain, suffering or humiliation
2. There must be a real possibility of harm to the person or to staff, the public or others if no action is undertaken
3. The nature of techniques used to restrict must be proportionate to the risk of harm and the seriousness of that harm
4. Any action taken to restrict a person's freedom of movement must be the least restrictive option that will meet the need
5. Any restriction must be imposed for no longer than absolutely necessary
6. What is done to people, why and with what consequences must be subject to audit and monitoring and must be open and transparent
7. Restrictive interventions must only ever be used as a last resort
8. The involvement of people who use services, carers and advocates is essential when reviewing plans for restrictive interventions

A panel of experts identified that certain restraint techniques presented an unacceptable risk when used on children and young people (Physical Control in Care Medical Panel, 2008; quoted in Department for Education, 2013b). The techniques in question are:

- the 'seated double embrace' which involves two members of staff forcing a person into a sitting position and leaning them forward, while a third monitors breathing
- the 'double basket-hold' which involves holding a person's arms across their chest and
- the 'nose distraction technique' which involves a sharp upward jab under the nose

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for services in Northern Ireland

Specific adaptations to the standards:

Physical restraint has been defined within 'health and personal social service settings' as: *'The use of any part of one's body, or mechanical method, to prevent, restrict or subdue movement of any part of another person's body. It can be employed to achieve a number of different outcomes:*

- *to break away or disengage from dangerous or harmful physical contact initiated by a service user*
- *to separate the person from a "trigger", for example, removing one service user who has responded to another with physical aggression*
- *to protect a service user from a dangerous situation – for example, the hazards of a busy road'* (Human Rights Working Group On Restraint And Seclusion, 2005)

Within educational settings the term 'reasonable force' is used, with the following qualification: *'the working definition of "reasonable force" is the minimum force necessary to prevent a pupil from physically harming him/herself or others or seriously damaging property, but used in a manner which attempts to preserve the dignity of all concerned'* (Department of Education Northern Ireland, 2004)

Specific guidance or legislation relating to delivering training in this setting can be found on the RRR website <http://restraintreductionnetwork.org/about/rrnstandards/>

Specific considerations and adaptations to the training standards for services in Scotland

Specific adaptations to the standards:

- The Mental Welfare Commission for Scotland is concerned with ensuring the 'welfare of individuals with mental illness, learning disability and related conditions'. In their good practice guide they define 'restraint' as *'taking place when the planned or unplanned, conscious or unconscious actions of staff prevent a person [or other person] from doing what he or she wishes to do and as a result places limits on his or her freedom. Restraint is defined in relation to the degree of control, consent and intended purpose of the intervention'* (Mental Welfare Commission for Scotland, 2013a)
- In *Holding Safely* (guidance produced for residential child care practitioners, which covers children and young people), 'physical intervention' was defined as *'an action involving using a worker's body, for example blocking the path of a child or any guiding of him or her away from a harmful situation. It includes physical restraint'* (The Scottish Institute for Residential Child Care (SIRCC), 2005, updated 2013)
- In the same document 'physical restraint/ restraining a child' was defined as *'an intervention in which staff hold a child to restrict his or her movement and should only be used to prevent harm. We have largely avoided simply using the term restraint and instead have referred to restraining a child as just that – restraining a child. We deliberately chose to change this language to avoid losing sight of the child, who might otherwise be overlooked by the more clinical and depersonalised use of the term "restraint"'* (SIRCC, 2005, updated 2013)

- *Holding Safely* defines certain techniques that should never be used: ‘neck holds’; those involving any ‘obstruction of the mouth or nose’; and those relying on ‘pain compliance’
- *Holding Safely* also defined high risk practices that required strong justification and comprehensive safeguards: ‘prone restraint’; ‘supine restraint’; ‘seated holds’ and ‘basket holds’
- *Holding Safely* was produced in 2004, when SIRCC were asked by the Scottish Executive to produce guidance on restraining children and young people in residential child care establishments. The *Holding Safely* guidance was originally specifically targeted at the residential child care sector, and not at schools
- In 2013 additional guidance was issued, designed to complement *Holding Safely* . The purpose of this additional guidance was to ensure that the key principles and practice of *Holding Safely* were adopted in all residential child care establishments across Scotland. This included secure care and establishments which provided services for children affected by a disability. The Scottish Executive published its refreshed national guidance, *Included, Engaged and Involved Part 2: A Positive Approach to Preventing and Managing School Exclusions* on 19 June 2017. This refreshed guidance includes information and advice for education authorities on de-escalation and physical intervention

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Specific considerations and adaptations to the training standards for services in Wales

Specific adaptations to the standards:

The Welsh Assembly Government considers that guidance it issues on restrictive physical intervention policy and practice for professionals who work with children, young people, adults and older people in health, education and social care settings should share a common framework of principles and expectations. The Welsh Assembly Government has therefore elected to use the term 'restrictive physical intervention' to describe direct physical safeguarding action: *'Direct physical contact between persons where reasonable force is positively applied against resistance, either to restrict movement or mobility or to disengage from harmful behaviour displayed by an individual'* (Welsh Assembly Government, 2005)

Within education settings the term 'use of force' has been used. A distinction is made between its use for 'control', and for 'restraint':

- Control can mean either passive physical contact (eg standing between pupils or blocking a pupil's path) or active physical contact (eg leading a pupil by the hand or arm, or ushering a pupil away by placing a hand in the centre of the back)
- When members of staff use 'restraint' they physically prevent a pupil from continuing what they were doing after they have been told to stop. Restraint techniques are usually used in more extreme circumstances, such as when two pupils are involved in a fight and physical intervention is needed to separate them (Welsh Assembly Government, 2010)

In 2005, the Welsh Assembly Government published the *Framework for Restrictive Physical Intervention Policy and Practice* which stated that, 'Under no circumstances, should any individual ever be restrained in a (prone) face down position.'

In 2008 this guidance was revised in recognition of the fact that the prone restraint position was used in mental health services across the Welsh NHS. The position is recognised as one of last resort, and one which needs to be carefully managed to ensure the patient's safety. If prone (face down) restraint is used it will need to be justified and documented.

In 2013, the Welsh Assembly Government published further guidance on the use of physical intervention: *Safe and Effective Intervention – Use of Reasonable Force and Searching for Weapons* (097/2013). This guidance does not refer to the use of face down (prone) restraint. However, the guidance recognises that in exceptional circumstances staff have to do whatever is necessary to keep a pupil safe.

In 2016, *Positive Approaches: Reducing Restrictive Practices in Social Care* was published by the Care Council for Wales.

The All Wales NHS Violence and Aggression Training Passport and Information Scheme provides a framework for the delivery of violence and aggression training within the NHS in Wales. It also provides guidance on the development of documentation to ensure the effective assessment and management of violence and aggression. The scheme has four modules:

- Module A Induction and awareness raising
- Module B Theory of personal safety and de-escalation
- Module C Breakaway techniques
- Module D Restrictive physical interventions (this has been developed specifically for specialist areas such as mental health services, and is currently being reviewed and revised by the all Wales Proactive Reduction of Restrictive Interventions Clinical Effectiveness (PRRICE) group)

Specific guidance or legislation relating to delivering training in this setting can be found on the RRN website <https://bit.ly/2Rqe8T1>

Appendix **21A** | **The use of pain to gain compliance**

- The cross sector RRN steering group does not endorse the use of pain based techniques
- The RRN is committed to the specification, and implementation, of person centred care planning. This may include the development of individualised behaviour support plans, which may include reactive strategies, providing carefully considered guidance on how to respond to those behaviours of concern that represent a risk to safety. Such plans may include physical restraint as a last resort. In addition to being lawful, such interventions must also be ethical and safe
- RRN believes that the planned, or intentional, application of pain to elicit behavioural compliance runs counter to the primary role of staff which is to provide individualised therapeutic care and support. Techniques, which are often referred to as 'pain compliance techniques', are also potentially dangerous and likely to be damaging to the development and maintenance of vital ongoing therapeutic/supportive relationships
- The European Committee for the Prevention of Torture advise that pain must never be used to gain compliance
- The European Commission for Human Rights takes the view that pain inducing restraint must be prohibited on children and many professional codes of practice clearly define that the deliberate application of pain is not acceptable

Appendix
21B

**The use of pain for escape
or rescue purposes**

- The RRN does acknowledge that where there is an immediate risk to life, the NICE Guidelines (NG10) refer to the use of techniques which may cause pain-based stimulus to mitigate the risk to life
- In this case, the training provider must present a clear, written rationale for the inclusion of such techniques in training and the reasons why staff require such training. The rationale must be supported by risk assessments and should include recommended criteria for monitoring, minimising and reducing the use of these techniques
- It must be clear in the rationale which staff need the training. The rationale must be authorised by the most senior official responsible for restraint in the commissioning organisation and must be reviewed with the senior official before any training event that includes the techniques
- Training must cover safety advice, reporting requirements and review arrangements for the use of these techniques

DRAFT

**Draft
self-assessment
tool**

Name of Training Service:

[Redacted]

As part of the assessment, quality checks will be carried out on a minimum of 25% of:

- senior trainers
- curriculums
- all affiliated Service Providers that deliver training services (use your train the trainer model to provide in-house training)

Therefore please list below

- all senior trainers to be authorised

[Redacted]
[Redacted]

- all associate trainers

[Redacted]
[Redacted]

- all curriculum to be approved

[Redacted]
[Redacted]

- all affiliated Service Providers that use your train the trainer model to provide in-house training

[Redacted]
[Redacted]

Training service:			
Self assessment	RAG	Evidence	Actions
Training standards			
Section 1: Standards 1.1–1.8			
This covers the part of the process that needs to be completed before a curriculum is developed			
Standard 1.1: The curriculum must be based on a training needs analysis (TNA) which must be completed by the commissioning organisation before the curriculum is developed and delivered			
Standard 1.2: A named person in the training provider organisation must develop a written proposal for a curriculum including the rationale for teaching specific restrictive interventions			
Standard 1.3: Any physical restraint technique that is included in the curriculum must be risk assessed by an independent professional or organisation with relevant expertise			
Standard 1.4: Training must be provided within the context of an explicit commitment to the reduction of all restrictive practices			

Training service:				
Self assessment	RAG	Evidence	Actions	
<p>Standard 1.5: Training providers must ensure that people with lived experience are involved in the development and delivery of training which involves the use of restrictive interventions</p>				
<p>Standard 1.6: The training provider must agree delivery arrangements with the commissioning organisation before delivery takes place</p>				
<p>Standard 1.7: The training provider must provide accessible information about the content of the training programme</p>				
<p>Standard 1.8: The training provider must have a policy for responding to concerns and complaints</p>				

Training service:				
Self assessment	RAG	Evidence	Actions	
<p>Section 2: Standards 2.1-2.18 This covers what must be included in the curriculum</p>				
<p>Standard 2.1: Training content must support a person centred and rights based approach</p>				
<p>Standard 2.2: Training content must cover duty of candour and duty of care in all settings</p>				
<p>Standard 2.3: Training content must cover how attitudes to and attributions of distress or concerning behaviours can impact directly on responses to the people being supported</p>				
<p>Standard 2.4: Training content must cover the use of decision making in response to distress or behaviours of concern</p>				

Training service:			
Self assessment	RAG	Evidence	Actions
<p>Standard 2.5: The curriculum must give proportional time (no less than one day or six hours) to exploring primary strategies and preventative approaches (unless the commissioning organisation already provides an evidence based model of preventative training to all staff)</p>			
<p>Standard 2.6: The curriculum must give proportional time (typically at least three hours) to covering the use of secondary strategies which alleviate the situation and prevent distress or behaviours of concern from escalating</p>			
<p>Standard 2.7: The curriculum must give proportional time to covering the use of non restrictive tertiary strategies</p>			
<p>Standard 2.8: Teaching the use of restrictive interventions (may include physical restraint, physical restraint to facilitate seclusion or long term segregation, clinical holding, or mechanical restraint)</p>			

Training service:

Self assessment	RAG	Evidence	Actions
<p>Standard 2.8A: Teaching the use of mechanical restraint</p>			
<p>Standard 2.9: Training must cover the factors that contribute to risk and elevated levels of risk in the application of restrictive interventions</p>			
<p>Standard 2.10: Training in restrictive intervention must consider emergency procedures, and cover the safety contingencies in place to manage the risk of a medical emergency arising</p>			
<p>Standard 2.11: The curriculum must identify the full range of restrictive interventions and restrictive practices and their application</p>			

DRAFT

Training service:				
Self assessment	RAG	Evidence	Actions	
<p>Standard 2.12: The curriculum must cover the requirements for recording and analysing data from restrictive interventions and occurrences of distress or concerning behaviour</p>				
<p>Standard 2.13: The curriculum must include reference to the importance of required procedures that are related to post-incident review</p>				
<p>Standard 2.14: The curriculum must have content that enables participants to understand the meaning of 'trauma' and how it can impact on people's experience of restrictive interventions</p>				
<p>Standard 2.15: The curriculum must contain reference to and explore understanding of restraint reduction theory</p>				

Training service:				
Self assessment	RAG	Evidence	Actions	
<p>Section 3: Standards 3.1 –3.6 This relates to post delivery processes</p>				
<p>Standard 3.1: Training must include a competence based assessment within each programme, with participants being assessed across both theory and practice elements</p>				
<p>Standard 3.2: Training records for each programme delivered must be maintained by the training organisation</p>				
<p>Standard 3.3: Training providers must have a policy for dealing with concerns that arise during training</p>				

DRAFT

Training service:				
Self assessment	RAG	Evidence	Actions	
<p>Standard 3.4: All training must be evaluated post delivery using an evidence based framework</p>				
<p>Standard 3.5: Training providers must use a quality assurance cycle and be able to show how they have measured effectiveness in order to make improvements or adjustments to programmes or processes where needed</p>				
<p>Standard 3.6: Training providers must develop refresher training curricula that take into account the current needs of the organisation, service or individuals using information from an updated TNA (see also standard 1.6.1)</p>				

Training service:				
Self assessment	RAG	Evidence	Actions	
Section 4: Trainer standards				
<p>Standard 4.1: Training providers must have quality assurance systems in place to monitor the competency of all trainers delivering their programmes, including both senior and associate trainers</p>				
<p>Standard 4.2: All trainers who are delivering training must be able to demonstrate that they are qualified and competent to train adults</p>				
<p>Standard 4.3: All trainers must be able to evidence that they have the qualifications, experience and competence in supporting people in the sector in which they are delivering training</p>				

DRAFT

Training service:				
Self assessment	RAG	Evidence	Actions	
<p>Standard 4.4: All trainers must ensure the delivery of any programme is informed by the training needs analysis (TNA)</p>				
<p>Standard 4.5: All trainers must be covered by professional indemnity and public liability insurance</p>				
<p>Standard 4.6: Trainers must manage training sessions safely and professionally</p>				
<p>Standard 4.7: All trainers will be expected to maintain accurate training records which support an agreed quality assurance system</p>				

Training service:			
Self assessment	RAG	Evidence	Actions
The appropriate appendices must also be selected for population, setting and country. Evidence must be provided as to how the training covers any specific adaptations to the standards or special considerations.			
Appendices: Populations			
1: Services supporting people who have acquired brain injury			
2: Services supporting autistic people			
3: Services supporting children (including residential schools and children's homes)			
4: Services supporting people who are deaf and have mental health conditions			

Training service:				
Self assessment	RAG	Evidence	Actions	
5: Services supporting people who have eating disorders				
6: Services supporting people who have learning disabilities				
7: Services supporting people who have mental health conditions				
8: Services supporting older people, and people living with dementia				

Training service:				
Self assessment	RAG	Evidence	Actions	
Appendices: Settings				
9: Acute, PICU and emergency admissions				
10: Emergency departments				
11: Family homes				
12: Forensic and high secure services				

DRAFT

Training service:			
Self assessment	RAG	Evidence	Actions
13: Foster carers			
14: Lone workers			
15: Schools			
16: Tier 4 Child and Adolescent Mental Health Services (CAMHS)			

Training service:				
Self assessment	RAG	Evidence	Actions	
Appendices: Country				
17: England				
18: Northern Ireland				
19: Scotland				
20: Wales				
Appendices: Other				
21: Use of pain				

Glossary

Accreditation

The official recognition of a particular status or qualification to provide or perform a particular activity. Training providers can demonstrate compliance with these standards through certification. Contact BILD for information regarding certification.

Advance decision

A written statement made by a person aged 18 or over that is legally binding and conveys a person's decision to refuse specific treatments and interventions in the future.

Advance statement

A written statement that conveys a person's preferences, wishes, beliefs and values about their future treatment and care. An advance statement is not legally binding.

Affiliated service providers

These are service provider organisations that deliver certified training services within their own organisations on behalf of the training provider.* Quality assurance and training for the associate trainers who are delivering the approved programmes are provided directly by the training provider which will be sampled in the continuous assessment process for certification.

* these may be known as in-house or in-service training models

Behavioural overshadowing

This is when behaviours of concern are attributed to the person's learning disability, mental health, differential diagnosis, age or gender.

Breakaway techniques

A set of physical skills to help separate or break (Escape/Rescue) away from an aggressor in a safe manner; this may be completed by an individual or in extreme cases supported by another to enable escape/rescue. These techniques are not expected to involve the use of restraint. (NICE, 2015)

Certificated training service

Certificated training services are the combination of approved curriculum and authorised trainers that meet the RRN training standards 2018.

Children

People aged 12 years or under.

Coercion

Any action or practice undertaken which is inconsistent with the wishes of the person in question (ie undertaken without the person's informed consent) – also see psychological restraint.

Commissioning organisation

This is an organisation who commissions training – in some cases this might be through an in-house provider.

De-escalation

The use of techniques (including verbal and non-verbal communication skills) aimed at preventing potential or actual behaviours of concern from escalating. PRN medication can be used as part of a de-escalation strategy, but PRN medication used alone is not de-escalation. De-escalation techniques can include verbal strategies, such as maintaining a calm tone of voice and not shouting or verbally threatening the person; and non-verbal techniques, including an awareness of self, body stance, eye contact, and personal safety, (Cowin et al, 2003; Spencer and Johnson, 2016). Effective de-escalation approaches are personalised and include openness, honesty, support, self-awareness, coherent communication, non-judgemental approaches, and confidence (without arrogance) (Price and Baker, 2012). They have the aim of preventing escalation and supporting the person to be calm.

Diagnostic overshadowing

This is when symptoms of physical ill health are mistakenly attributed to either a mental health/behavioural problem or as being inherent in the person's learning disabilities.

Distressed behaviours

Distress can result in challenging behaviour of such an intensity, frequency or duration as to threaten the quality of life and/or the physical safety of the individual or others and is likely to lead to responses that are restrictive, aversive or result in exclusion (adapted from the definition in Royal College of Psychiatrists, British Psychological Society and Royal College of Speech and Language Therapists, 2007). They may also be referred to as challenging behaviours, behaviours that challenge or that can be described as challenging, and distressed behaviours or behavioural disturbances.

There are a wide range of behaviours that are considered to be concerning. These can include verbal or physical aggression, violence and aggression towards others, self-harm, withdrawal, and they can manifest verbally or physically. Distressed behaviours of concern are assumed to have a purpose and communicative meaning for the person.

Duty of candour

The duty of professionals to be open and honest with people when something goes wrong and has the potential to cause harm or distress.

Duty of care

The legal obligation to safeguard others from harm while they are in your care and/or exposed to activities such as training programmes.

Escape and rescue techniques

A set of physical skills to help separate or break away from an aggressor in a safe manner. This may be completed by an individual or in extreme cases supported by another to enable escape/rescue. These techniques are not expected to involve the use of restraint. (NICE, 2015)

Fragility

Refers to issues that may compromise the fidelity of the technique between its taught version and application in practice. Fragility issues have implications for both effectiveness and safety. A technique is deemed fragile if small adjustments (movement or pressure) to the procedure are likely to result in intentional, or unintentional injury or severe pain to an individual (Paterson, 2014; Martin et al, 2008).

GDPR

General Data Protection Regulations 2018

Hyperextension

An excessive joint movement in which the angle formed by the bones of a particular joint is opened, or straightened, beyond its normal, healthy, range of motion.

Hyperflexion

Flexion of a limb or part beyond the normal limit.

Incident

Any event that involves the use of a restrictive intervention – restraint, rapid tranquillisation or seclusion (but not observation).

Named person

In the commissioning organisation this is usually the restrictive practices reduction lead or the lead trainer. In the training organisation this is the person who engages with the commissioning organisation and is responsible for developing the written proposal and agreeing the curriculum with the named person in the commissioning organisation.

Both people are responsible for the annual review of the curriculum. Where training is both developed and delivered in-house, the same process of development delivery and review should be followed although there may only be one named person.

Pain compliance

Pain compliance is the use of painful stimulus to control or direct a person's actions.

Participant

In these standards a participant is a person who attends a training programme.

Peer review

A systematic interactive process that helps nursing staff and students evaluate their colleagues' practice and engage in constructive dialogue with them, providing feedback to peers based on specific criteria to assist in professional and/or personal growth.

People with lived experience

People with a lived experience of receiving services and experience of having restrictive interventions applied to them. The term can also apply to families and carers.

Personal assistants (PA)

A carer (PA) employed by an individual or a related third party without the involvement of an employment agency or employment business, and working wholly under the direction and control of that individual or related third party in order to meet the individual's own personal care requirements.

Personalised wellbeing risk assessment (PWRA)

A process which supports the gathering of important personal information used to determine the suitability and safety of any restrictive interventions

Planned and unplanned restrictive intervention

These standards use the term **planned restrictive intervention** to mean a restrictive intervention that has been agreed and is documented as part of someone's agreed plan. An **unplanned restrictive intervention** is when a restrictive intervention is used as a response to an unexpected incident. The use of the restrictive intervention should be recorded and reviewed shortly afterwards.

Post-incident review

A review that consists of two separate components:

- 1. Post-incident support** This is the support that is immediately offered to an individual who has been involved in an incident, it should include assessment and treatment of any medical needs and provision of immediate emotional support.
- 2. Post-incident reflection and learning review** This is a non-blaming review where the factors that led to the restrictive intervention being used are examined and actions are agreed that support the prevention of future incidents or the minimisation of impact and less restrictive response in the future.

Primary strategies

These strategies aim to enhance a patient's quality of life and meet their unique needs, thereby reducing the likelihood of behaviours of concern arising.

PRN (pro re nata)

When needed, PRN refers to the use of medication as part of a strategy to de-escalate or prevent situations that may lead to harm to the person or others.

Reflective practice

The practice of reflecting on one's actions so as to engage in a process of continuous learning. Services and professionals can at times unintentionally provoke situations. Reflective practice helps identify how to better meet needs to prevent crisis.

Refresher training

A programme that the participant attends within a year of attending the original programme. Its aim is primarily to refresh skills learned previously but it should also contain a developmental element.

Restraint minimisation

Assessment, planning and review measures aimed at reducing the intensity and duration of any physical restraint techniques that are used within defined settings, or in relation to a defined population or a specific individual.

Restraint reduction

Assessment, planning and review measures designed to reduce the number of times restraint techniques are used within defined settings, or in relation to a defined population or a specific individual.

Restrictive interventions

Interventions that may infringe a person's human rights and freedom of movement, including observation, seclusion, physical restraint, mechanical restraint and rapid tranquilisation and other chemical restraint. Restrictive interventions have the potential to violate the person's human rights.

• Chemical restraint

Involves using medication with the intention of restricting someone's movement. This could be regularly prescribed medication – including those to be used as required (PRN) – or illegal drugs.

• Observation

A restrictive intervention of varying intensity in which a member of the staff observes and maintains contact with a service user to ensure the service user's safety and the safety of others. There are different levels of observation.

• Physical restraint

Any method of responding to behaviours of concern which involves some degree of direct force to try and limit or restrict movement. Physical restraint can also be called manual restraint and restrictive physical intervention.

- **Long term segregation**

Long term segregation refers to a situation where, in order to reduce a sustained risk of harm posed by the person to others, which is a constant feature of their presentation, a multi-disciplinary review and a representative from the responsible commissioning authority determines that a person should not be allowed to mix freely with other patients on the ward or unit on a long term basis.

- **Mechanical restraint**

A method of physical intervention involving the use of authorised equipment, for example handcuffs or restraining belts. Its purpose is to immobilise or restrict movement of part(s) of the body of the person.

- **Rapid tranquilisation**

Use of medication by the parenteral route (usually intramuscular or, exceptionally, intravenous) if oral medication is not possible or appropriate and urgent sedation with medication is needed.

- **Technological surveillance**

Tagging, pressure pads, closed circuit television, or door alarms, for example, are often used to alert staff that the person is trying to leave or to monitor their movement.

- **Psychological restraint or coercive practice**

This can include constantly telling the person not to do something, or that doing what they want to do is not allowed, or is too dangerous. It may include depriving a person of lifestyle choices by, for example, telling them what time to go to bed or get up. Psychological restraint might also include depriving individuals of equipment or possessions they consider necessary to do what they want to do, for example taking away walking aids, glasses, outdoor clothing, or keeping the person in nightwear with the intention of stopping them from leaving.

- **Seclusion**

If a person is isolated and prevented from leaving a room of their own free will, it meets the criteria for seclusion, even if it is called by a different name. Alternative names in use may be: time out, isolation, chill out, or single separation. There could be a number of methods that prevent someone from leaving a room including a perceived or real threat. In a hospital setting seclusion refers to the supervised confinement and isolation of a patient, away from other patients, in an area from which the person is prevented from leaving, where it is of immediate necessity for the purpose of the containment of severe behavioural disturbance which is likely to cause harm to others. Seclusion does not include locking people in their rooms at night in accordance with the High Security Psychiatric Services (Arrangements for Safety and Security) Directions 2013.

Restrictive practices

This is an umbrella term for making someone do something they don't want to do or stopping someone doing something they want to do. In service settings it can be linked to the use of blanket rules which apply to everyone regardless, but may have a tenuous basis for application or are only necessary because of a specific individual risk.

Secondary strategies

These strategies focus on the recognition of an individual's early behavioural signs (physical, emotional, communicative, etc) which can indicate an increase in behavioural disturbance. Strategies are developed to identify how to respond to a person's behaviours or support the person to self-manage. Secondary strategies are likely to include approaches to de-escalation. These may be referred to as reactive strategies, secondary preventative strategies or active interventions. Secondary strategies can be restrictive (such as use of PRN at an early stage) or non-restrictive. Such strategies are designed to be used when staff recognise signs of a developing behavioural disturbance, and are aimed at reducing or removing the underlying causes of the behaviour, including issues such as pain, distress or frustration.

Tertiary strategies

These strategies are used when an actual behaviour of concern is presenting, with the primary aim to bring the incident to an end in a timely and safe manner, with due regard to the individual's rights and dignity. Examples of non-restrictive tertiary strategies include de-escalation, diversion, distraction or strategic capitulation. Examples of restrictive tertiary strategies include restrictive interventions such as physical restraint.

Trainers

There are two kinds of trainers referred to in these standards:

- **Senior trainers**

Senior trainers are authorised under the certification scheme to deliver approved programmes across multiple organisations and/or deliver approved 'Train the Trainer' programmes. Senior trainers may be employed (or paid) by a commercial training provider or be employed within a service provider organisation such as an NHS trust. 25% of senior trainers are subject to direct quality assurance sampling processes though the certification scheme. This status is non transferrable across organisations, employers or other training organisations.

- **Associate trainers**

Associate trainers are authorised by the training provider to deliver approved programme(s) only within their own service or organisation, they are not authorised to deliver any approved 'Train the Trainer' programmes. Associate trainers are likely to be employed by affiliated service provider organisations (eg NHS trusts, schools or care homes who deliver training services on behalf of the training provider and will be expected to meet the requirements as laid out within the RRN Training Standards 2018. This status is non transferrable across organisations, employers or other training organisations. Direct quality assurance for these trainers is the responsibility of the training provider who will be expected to provide evidence of quality assurance monitoring processes as part of the certification of their training services which will be sampled in the continuous assessment process for certification

Training curriculum

A list of subjects that make up the training programme.

Training needs analysis (TNA)

The first step in the training process. Designed to identify performance gaps that can be remedied by training. It consists of surveillance, investigation, and data analysis (Thomas, 2004)

Training providers

There are two kinds of training provider referred to in these standards:

- **Commercial training organisation**

who are commissioned to provide training to a range of organisations

- **In-house training providers**

who deliver training within their own organisation, for example, an NHS trust or a care organisation

Trauma informed care

An organisational structure and treatment framework that involves understanding, recognising, and responding to the effects of all types of trauma.

Written rationale

Written explanation of the logical reasons or principles arriving at a decision, to include particular restrictive interventions in the training curriculum.

Young people

People aged between 13 and 17 years.

DRAFT

References

- Aiken, F, Duxbury, J, Dale, C and Harbison, I (2011) *Review of the Medical Theories and Research Relating to Restraint Related Deaths*. Caring Solutions (UK) and University of Central Lancashire, Preston. Available at: <https://bit.ly/2E8ktQL> (accessed 21 July 2018).
- American Psychiatric Association (2013) *Diagnostic and Statistical Manual of Mental Disorders (DSM)* (5th edn). Arlington, VA: American Psychiatric Publishing.
- Association of Chief Police Officers and National Policing Improvement Agency (2010) *Guidance on Responding to People with Mental Ill Health or Learning Disabilities*. Available at: <https://bit.ly/2xZ9mnm> (accessed 21 July 2018)
- Action on Hearing Loss (2018) *Facts and Figures*. Available at: <https://bit.ly/2zQSocf> (accessed 10 July 2018)
- Association of Directors of Children's Services Health, Care and Additional Needs Policy Committee Task Group (2009) *A Protocol for Local Children's Services Authorities on Restrictive Physical Interventions in Schools, Residential and Other Care Settings for Children and Young People*. Manchester: ADCS
- Baker, P A (2017) Attending to debriefing as post- incident support of care staff in intellectual disability challenging behaviour services: An exploratory study, *International Journal of Positive Behavioural Support*, 7(1), 38-44
- Bevan, E R (2018) *Best Practice Guide for BSL/ English Interpreters Working in Mental Health*. Available at: <https://bit.ly/2xY9HGx> (accessed 10 July 2018)
- BIHR (2013) *The Difference it Makes: Putting Human Rights at the Heart of Health and Social Care*. London: BIHR
- BIHR (2016a) *Mental Health, Mental Capacity, and Human Rights*. London: BIHR
- BIHR (2016b) *BIHR Toolkits: Learning Disability and Human Rights*. London: BIHR
- BILD (2014) *BILD Code of Practice for Minimising the Use of Restrictive Physical Interventions: Planning, Developing and Delivering Training* (4th edn). BILD: Birmingham
- BILD Centre for the Advancement of Positive Behaviour Support (2018) *Questions to Ask About the Use of Physical Restraint in Schools*. Available at: <https://bit.ly/2NalcDN> (accessed 21 March 2018)
- BILD Centre for the Advancement of Positive Behaviour Support (2018) *The Use of Tents or Other Confined Spaces in Schools*. Available at: <https://bit.ly/2NalcDN> (accessed 21 March 2018)
- Bowers, L (2014) Safe-wards: a new model of conflict and containment on psychiatric wards, *Journal of Psychiatric and Mental Health Nursing*, 21(6), 499-508
- Cabral, L, Muhr, K and Savageau, J (2013) Perspectives of people who are deaf and hard of hearing on mental health, recovery and peer support, *Community Mental Health Journal*, 49(6), 649-57
- Campbell, D (2018) Figures reveal 'alarming' rise in injuries at mental health units, *The Guardian* [online], 10 June. Available at: <https://bit.ly/2kYBkc8> (accessed 10 July 2018)
- Care Commission, Mental Welfare Commission for Scotland (2009) *Remember I'm Still Me*. Edinburgh: MWCS
- Care Council for Wales (2016) *Positive Approaches: Reducing Restrictive Practices in Social Care*. Cardiff: CCW
- Care Quality Commission (2015a) *Regulation 20: Duty of Candour*. Newcastle Upon Tyne: CQC
- Care Quality Commission (2015b) *Brief Guide: Restraint (Physical and Mechanical)*. Available at: <https://bit.ly/2RnWMX3> (accessed 21 March 2018)

- Care Quality Commission (2015c) *Brief Guide: Seclusion Rooms*. Available at: <https://bit.ly/2Ph8v88> (accessed 21 March 2018)
- Care Quality Commission (2016) *Brief Guide: Restraint (Physical and Mechanical)*. Available at: <https://bit.ly/2O2LQQx> (accessed 4 July 2018)
- Care Quality Commission (2017) *Brief Guide: Long-term Segregation*. Available at: <https://bit.ly/2xTVAmb> (accessed 21 March 2018)
- Catchpole, K and McCulloch, P (2010) Human factors in critical care: towards standardized integrated human-centred systems of work, *Current Opinion in Critical Care*, 16, 618–22
- Chester, V, Devapriam, J, Alexander, R, Langdon, P, Kitchen, D and James, N (2018) *Restrictive Interventions in Inpatient Intellectual Disability Services: How to Record, Monitor and Regulate*. London: Faculty of Psychiatry of Intellectual Disability and Quality Network for Learning Disabilities, Royal College of Psychiatrists
- Children's Commissioner for England (2017) *Children's Voices: A Review of Evidence on the Subjective Wellbeing of Children in Detention*. London: CCfE
- Children's Rights Director for England (2012) *Children's Views on Restraint: Reported by the Children's Rights Director for England*. London: OFSTED
- College of Policing (2017) *Memorandum of Understanding: The Police Use of Restraint in Mental Health and Learning Disability Settings*. Coventry: CoP
- Cowin, L, Davies, R, Estall, G, Berlin, T, Fitzgerald, M and Hoot, S (2003) De-escalating aggression and violence in the mental health setting, *International Journal of Mental Health Nursing*, 12, 64–73
- Cromwell, J (2005) Deafness and the art of psychometric testing, *The Psychologist*, 18(12), 738–40
- Dementia Services Development Centre (2014) *Supporting People with Dementia: Understanding and Responding to Distressed Behaviour*. Stirling: DSDC
- Department for Constitutional Affairs (2013) *Mental Capacity Act Code of Practice*. London: TSO
- Department for Education (2000) *Care Standards Act: National Minimum Standards for Children's Homes*. London: DfE
- Department for Education (2011) *Fostering Services: National Minimum Standards*. London: DfE
- Department for Education (2013a) *Residential Special Schools: National Minimum Standards*. London: DfE
- Department for Education (2013b) *Use of Reasonable Force in Schools*. London: DfE. Available at: <https://bit.ly/2x05WCM> (accessed 31 August 2018)
- Department for Education (2015a) *Children's Homes Regulations, Including Quality Standards: Guide*. London: DfE
- Department for Education (2015b) *Working Together to Safeguard Children*. London: DfE.
- Department for Education (2015c) *The Children's Act 1989: Guidance and Regulations Volume 4; Fostering Services*. London: DfE
- Department for Education (2016) *Behaviour and Discipline in Schools: Advice for Head Teachers and School Staff*. London: DfE
- Department for Education and Skills and Department of Health (2002) *Guidance for Restrictive Physical Interventions: How to Provide Safe Services for People with Learning Disabilities and Autistic Spectrum Disorder*. London: DoH
- Department of Education Northern Ireland (1999) *Pastoral Care: Guidance on the Use of Reasonable Force to Restrain or Control Pupils (Circular, 1999/9)*. Bangor: DENI
- Department of Education Northern Ireland (2004) *Regional Policy Framework on the Use of Reasonable Force/Safe Handling*. Bangor: DENI
- Department of Education Northern Ireland (2017) *Safeguarding and Child Protection in Schools*. Bangor: DENI
- Department of Health (2005) *Mental Health and Deafness – Towards Equity and Access: Best Practice Guidance*. London: DoH
- Department of Health (2012) *Transforming Care: A National Response to Winterbourne View Hospital*. London: DoH
- Department of Health (2014) *Positive and Proactive Care*. London: DoH
- Department of Health (2015) *Mental Health Act Code of Practice*. London: TSO
- Department of Health (in development) *Towards Safer Services; National Minimum Standards for Restrictive Intervention Reduction Plans*. London: DoH

- Department of Health, Concordat Signatories (2014) *Mental Health Crisis Care Concordat – Improving Outcomes for People Experiencing Mental Health Crisis*. London: DoH
- Department of Health and Social Care and Department for Education (2017) *Reducing the need for restraint and restrictive intervention; children and young people with learning disabilities, autistic spectrum disorder, and mental health difficulties* (Consultation document). London: DoH/DfE
- Department of Health, Social Services and Public Safety (2005) *Human Rights Working Group on Restraint and Seclusion in Health and Personal Social Services*. Belfast: DHSSPS
- Department of Health, Social Services and Public Safety (2012) *Day Care Settings; Minimum Standards*. Belfast: DHSSPS
- Disability Rights Commission (2006) *Equal Treatment: Closing the Gap*. Stratford Upon Avon: DRC
- Donald, A (2012) *A Guide to Evaluating Human Rights-Based Interventions in Health and Social Care*. London: HRSJ
- Donoghue v Stevenson [1932] AC562
- Duxbury, J and Paterson, B (2005) The use of physical restraint in mental health nursing, *The Journal of Adult Protection*, 7(4), 13–24
- Gore, N, McGill, P, Toogood, S, Allen, D, Hughes, J C, Baker, P, Hastings, R, Noone, S and Denne, L (2013) Definition and scope for positive behaviour support, *International Journal of Positive Behavioural Support*, 3(2), 14–23
- Greenfield, D and Braithwaite, J (2008) Health sector accreditation research: a systematic review, *International Journal for Quality in Health Care*, 20(3), 172–183
- Harris, J, Cornick, M, Jefferson, A and Mills, R (2008) *Physical Interventions: A Policy Framework* (2nd edn). Birmingham: BILD
- Hart, D (2008) *Restrictive Physical Intervention in Secure Children's Homes*. London: NCB
- Hart, D and Howell, S (2004) *National Children's Bureau: Report on the use of physical intervention across children's services*. London: NCB
- Hastings, R P, Allen, D, Baker, P, Gore, H J, Hughes, J C, McGill, P, Noone, S J and Toogood, S (2013) A conceptual framework for understanding why challenging behaviours occur in people with developmental disabilities, *International Journal of Positive Behavioural Support*, 3(2), 5–13
- Health and Safety Executive (2013a) *First Aid at Work: The Health and Safety (First-Aid) Regulations 1981*. London: HSE
- Health and Safety Executive (2013b) *RIDDOR - Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013*. London: HSE. Available at: <https://bit.ly/1OYsXn1> (accessed 22 July 2018)
- Health and Safety Executive (2013c) *Working Alone: Health and Safety Guidance on the Risks of Lone Working*. London: HSE
- HM Inspectorate of Prisons (2015) *Behaviour Management and Restraint of Children in Custody*. London: HMIP
- Horne, N and Pennington, J (2010) The role of the nurse specialist in the highly specialized field of mental health and deafness, *Journal of Psychiatric and Mental Health Nursing*, 17, 335–8
- Huckshorn, K A (2006) Re-designing state mental health policy to prevent the use of seclusion and restraint, *Administration and Policy in Mental Health*, 33, 482–91
- Human Rights Working Group on Restraint and Seclusion (2005) *Guidance on Restraint and Seclusion in Health and Personal Social Services*. Available at: <https://bit.ly/2uYBhb5> (accessed 23 July 2018)
- Jeffrey, K (2010) Supportive holding or restraint: terminology and practice, *Nursing Children and Young People*, 22(6), 24–8
- Joint Commissioning Panel for Mental Health (2017) *Guidance for Commissioners of Primary Care Mental Health Services for Deaf People*. Available at: <https://bit.ly/2Bmu1Ry> (accessed 21 July 2018)
- Juwah, C (2003) Using peer assessment to develop skills and capabilities, *United States Distance Learning Association Journal*, 17, 1–11
- Kirkpatrick, D L (1959) Techniques for evaluation training programs, *Journal of the American Society of Training Directors*, 13, 21–26
- LaVigna, G W and Willis, T J (2016) The alignment fallacy, and how to avoid it, *International Journal of Positive Behavioural Support*, 6(1), 6–16
- LeBel, J, Duxbury, J, Putkonen, A, Sprague, T, Rae, C and Sharpe, J (2014) Multinational experiences in reducing and preventing the use of restraint and seclusion, *Journal of Psychosocial Nursing and Mental Health Services*, 52(11), 22–9

- LeBel, J, Huckshorn, K A and Caldwell, B (2010) Restraint use in residential programs: Why is best practice ignored? *Child Welfare*, 89(2), 169–87
- Martin, A, McDonnell, A, Leadbetter, D and Paterson, B (2008) Evaluating the risks associated with physical interventions. In Allen, D (ed.) *Ethical Approaches to Physical Interventions, Volume 2: Changing the Agenda*. Worcester: BILD, pp.37–53
- Mental Welfare Commission for Scotland (2013a) *Good Practice Guide: Rights, Risks and Limits to Freedom*. Edinburgh: MWCS
- Mental Welfare Commission for Scotland (2013b) *Good Practice Guide: Responding to Violence in a Mental Health or Learning Disability Care Setting*. Edinburgh: MWCS
- Mental Welfare Commission for Scotland (2013c) *Good Practice Guide: Human Rights in Mental Health Services*. Edinburgh: MWCS
- Miller, G E (1990) The assessment of clinical skills/competence/ performance, *Academic Medicine*, 65 (Suppl. 9), S63–S67
- Mind (2013) *Mental Health Crisis Care: Physical Restraint in Crisis. A Report on Physical Restraint in Hospital Settings in England*. London: Mind
- Mind and NSUN (2015) *Restraint in Mental Health Settings*. London: Mind
- Napier, J and Cornes, A (2004) The dynamic roles of interpreters and therapists. In S Austen and S Crocker (eds), *Deafness in Mind: Working Psychologically with Deaf People Across the Lifespan* (pp. 161–79). London: Whurr Publishers
- NAPICU (2016) *Guidance for Commissioners of Psychiatric Intensive Care Units (PICUs)*. East Kilbride: NAPICU
- NASMHPD (2008) *Six Core Strategies to Reduce Seclusion and Restraint Use*. Available at: <https://bit.ly/2O8EI5q> (accessed 21 March 2018)
- NHS Confederation (2012) *Defining Mental Health Services: Promoting Effective Commissioning and Supporting QIPP*. London: NHS Confederation
- NHS Education for Scotland (2017) *Transforming Psychological Trauma: A Knowledge and Skills Framework for the Scottish Workforce*. Edinburgh: NES
- NHS England (2013) *The High Security Psychiatric Services (Arrangements for Safety and Security) Directions 2013*. Available at: <https://bit.ly/2O0Zbc2> (accessed 23 July 2017)
- NHS England (2015) *Accessible Information Implementation Plan*. Leeds: NHS England
- NHS England (2016) *All About Me: Deafness Recovery Tool*. Leeds: NHS England
- NHS England (2017) *Accessible Information Standard (DCB1605)*. Leeds: NHS England
- NHS England (2018) *STOMP (Stopping the Over-Medication of People with a Learning Disability and Autism or both)*. Available at: <https://bit.ly/2qpvNB2> (accessed 17 May 2018)
- NHS Protect (2013) *Meeting Need and Reducing Distress*. London: NHS Protect
- NICE (2004) *The Short-Term Physical and Psychological Management and Secondary Prevention of Selfharm in Primary and Secondary Care (CG 16)*. London: NICE
- NICE (2005) *Violence: Short Term Management for over 16's in Psychiatric and Emergency Departments (CG25)*. London: NICE
- NICE (2007) *Acutely Ill Adults in Hospital: Recognising and Responding to Deterioration (CG50)*. London: NICE
- NICE (2012) *Recognition, Referral, Diagnosis and Management of Adults on the Autistic Spectrum (CG142)*. London: NICE
- NICE (2013) *Autism: The Management and Support of Children and Young People on the Autistic Spectrum (CG170)*. London: NICE
- NICE (2014) *Autism (QS51)*. London: NICE
- NICE (2015a) *Violence and Aggression: Short Term Management in Mental Health (NG10)*. London: NICE
- NICE (2015b) *Challenging Behaviour and Learning Disabilities: Prevention and Interventions for People with Learning Disabilities whose Behaviour Challenges (NG11)*. London: NICE
- NICE (2016) *Dementia: Supporting People with Dementia and their Carers in Health and Social Care (CG42)*. London: NICE
- NICE (2017a) *Eating Disorders: Recognition and Treatment (NG69)*. London: NICE

- NICE (2017b) *Violent and Aggressive Behaviours in People with Mental Health Problems (QS154)*. London: NICE
- OHCHR (2006) *Frequently Asked Questions on a Human Rights-Based Approach to Development Cooperation*. Geneva: Office of the United Nations High Commissioner for Human Rights
- O'Rourke, S, Gibbon, S and Hough, W (2011) *Standards for Deaf People in Medium Secure Care*. London: Royal College of Psychiatrists Centre for Quality Improvement
- Page, A and Vanes, N (2018) *Evidence Based Holding of Children for Clinical Procedures* [website]. Available at: <http://comslive.health.bcu.ac.uk/index.php> (accessed 31 August 2018)
- Patel, M X, Sethi, F N, et al. (2018) Joint BAP NAPICU evidence-based consensus guidelines for the clinical management of acute disturbance: de-escalation and rapid tranquillisation, *Journal of Psychiatric Intensive Care*, published online 8 June 2018. <https://doi.org/10.20299/jpi.2018.008>
- Paterson, B (2014) *Risk in the use of restrictive practices - an overview of research. Keynote presentation: Reducing restrictive practices: A human rights perspective - A BILD Conference*. Available at: <https://bit.ly/2zReWcU> (accessed 7 September 2018)
- Paterson, B, Martin, A, Nisbett, I and Leadbetter, D (2011) *The Use of Time-Out and Seclusion in Scottish Schools: A Matter for Concern?* Available at: <https://bit.ly/2RqVN8D> (accessed 18 March 2018)
- PBS Coalition (2015) *Positive Behavioural Support Competence Framework*, [online]. Available at: <https://bit.ly/2Rqf61F> (accessed 20 April 2018)
- Pomey, M P, Lemieux-Charles, L, Champagne, F, Angus, D, Shabah, A and Contandriopoulos, A P (2010) Does accreditation stimulate change? A study of the impact of the accreditation process on Canadian health care organizations, *Implementation Science*, 5, 31–44
- Price, O and Baker, J, (2012), Key components of de-escalation techniques: A thematic synthesis, *International Journal of Mental Health Nursing*, 21, 310 –19
- Rooney, A L and Van Oostenberg, P R (1999) *Licensure, Accreditation, and Certification: Approaches to Health Services Quality, Quality Assurance Project*. Washington, DC: USAID
- Royal College of Emergency Medicine (2016) *Guidelines for the Management of Excited Delirium/Acute Behavioural Disturbance*. London: RCEM
- Royal College of Nursing (RCN) (2010) *Restrictive Physical Intervention and Therapeutic Holding for Children and Young People: Guidance for Nursing Staff*. London: RCN
- Royal College of Nursing (RCN) (2016) *Personal Safety when Working Alone*. London: RCN
- Royal College of Psychiatrists (2014) *Good Practice in the Management of Autism (including Asperger Syndrome) in Adults (CR191)*. London: RCPsy
- Royal College of Psychiatrists (2015) *Quality Network for Forensic Mental Health Services; See, Think, Act*. London: RCPsy
- Royal College of Psychiatrists (2016) *Quality Network for Forensic Mental Health Services: Standards for Forensic Mental Health Services, Low and Medium Secure Care*. London: RCPsy
- Royal College of Psychiatrists, British Psychological Society and Royal College of Speech and Language Therapists (2007) *Challenging Behaviour: A Unified Approach. Clinical and Service Guidelines for Supporting People with Learning Disabilities who are at Risk of Receiving Abusive or Restrictive Practices*. London: Royal College of Psychiatrists, British Psychological Society and Royal College of Speech and Language Therapists
- Safewards www.safewards.net
- SCIE (2009) *Report 26: Restraint in Care Homes for Older People: A Review of Selected Literature* (Due to be reviewed). London: SCIE
- Scottish Executive (2004) *Protecting Children and Young People: The Charter*. Edinburgh: Scottish Government
- Scottish Executive (2005a) *Mental Health (care and treatment) (Scotland) Act 2003: Code of Practice Volume 1*. Edinburgh: Scottish Government
- Scottish Executive (2005b) *National Care Standards: Care Homes for Children and Young People*. Edinburgh: Scottish Government
- Scottish Executive (2005c) *National Care Standards: Care Homes for Older People*. Edinburgh: Scottish Government

- Scottish Executive (2005d) *National Care Standards: Care Homes for People with Learning Disabilities*. Edinburgh: Scottish Government
- Scottish Executive (2013) *Physical Restraint in Residential Child Care – Leaflet for Young People*. Edinburgh: Scottish Government
- Scottish Executive (2017) *Included, Engaged and Involved Part 2: A Positive Approach to Preventing and Managing School Exclusions*. Edinburgh: Scottish Government
- Scott, S and McManus, S (2016) *Hidden Hurt: Violence, Abuse and Disadvantage in the Lives of Women*. (DMSS Research for Agenda). London: Agenda
- SignHealth (2017) *Sign Language*. Available at: <https://bit.ly/2P9eSKT> (accessed 10 July 2018)
- Skills for Care and Skills for Health (2014) *A Positive and Proactive Workforce. A Guide to Workforce Development for Commissioners and Employers Seeking to Minimise the Use of Restrictive Practices in Social Care and Health*. Leeds: SFC & SFH
- Smallridge, P and Williamson, A (2011) *Report on Implementing the Independent Review of Restraint in Juvenile Secure Settings*. London: Ministry of Justice
- Spencer, S and Johnson, P (2016) *De-escalation Techniques for Managing Aggression*. *Cochrane Database of Systematic Reviews 2016, Issue 1*. Art. No.: CD012034. DOI: 10.1002/14651858.CD012034
- Substance Abuse and Mental Health Services Administration (SAMHSA) (2014) *SAMHSA's Concept of Trauma and Guidance for a Trauma-Informed Approach*. Available at: <https://bit.ly/207FoDJ> (accessed 30 August 2018)
- Sweeney, A, Clement, S, Filson, B and Kennedy, A (2016) Trauma-informed mental healthcare in the UK: What is it and how can we further its development?, *Mental Health Review Journal*, 21(3), 174–92
- The Health, Safety and Wellbeing Group (2018a) *Improving Safety for Lone Workers: A Guide for Managers*. Leeds: HSWG
- The Health, Safety and Wellbeing Group (2018b) *Improving Safety for Lone Workers: A Guide for Staff who Work Alone*. Leeds: HSWG
- The Scottish Institute for Residential Child Care (SIRCC) (2005) *Holding Safely: A Guide for Residential Child Care Practitioners and Managers about Physically Restraining Children and Young People*. Glasgow: SIRCC
- Thomas, A B (2004) *Research Skills for Management Studies*. London: Routledge
- United Nations Department for Economic and Social Affairs (2006) *Convention on the Rights of Persons with Disabilities (UNCRPD)*. [online] Available at: <https://bit.ly/1QUdQe4> (accessed 24 July 2018)
- United Nations Human Rights (1989) *Convention on the Rights of the Child*. [online] Available at: www.ohchr.org/en/professionalinterest/pages/crc.aspx (accessed 20 April 2018)
- Volunteer Now (2010) *Safeguarding Vulnerable Adults: A Shared Responsibility. Standards and Guidance for Good Practice in Safeguarding Vulnerable Adults*. Belfast: Volunteer Now
- Welsh Assembly Government (2005) *Framework for Restrictive Physical Intervention Policy and Practice*. Cardiff: Welsh Assembly
- Welsh Assembly Government (2013) *Safe and Effective Intervention: Use of Reasonable Force and Searching for Weapons*. Cardiff: Welsh Assembly
- Welsh Assembly Government (2016a) *Mental Health Act 1983: Code of Practice for Wales*. Cardiff: Welsh Assembly
- Welsh Government (2016b) *Patient Safety Notice: The Importance of Vital Signs During and After Restrictive Interventions/Manual Restraint*. Cardiff: Welsh Assembly
- West London Mental Health Trust (2016) *Violence Reduction and Management Programme*. London: West London Mental Health Trust
- World Health Organisation (WHO) (1992) *The ICD- 10 Classification of Mental and Behavioural Disorders: Clinical Descriptions and Diagnostic Guidelines*. Geneva: World Health Organisation
- World Health Organisation (WHO) (2017) *Creating Mental Health and Related Services free from Coercion, Violence and Abuse - WHO Quality Rights Training to Act, Unite and Empower for Mental Health (pilot version) (WHO/MSD/MHP/17.6)*. Geneva: World Health Organisation

Legislation

Available at: <https://www.legislation.gov.uk/>

Statutes

- ✦ Adults with Incapacity Act (Scotland) 2000
- ✦ Autism Act 2009
- ✦ Care Act 2014
- ✦ Care Standards Act (National Minimum Standards for Children's Homes) 2000
- ✦ Children Act (Scotland) 1995
- ✦ Children and Families Act 2014
- ✦ Children and Social Work Act 2017
- ✦ Children's Act 1989
- ✦ Children's Act 2004
- ✦ Criminal Justice Act 2003
- ✦ Criminal Law Act (Northern Ireland) 1967
- ✦ Deprivation of Liberty Act 2010
- ✦ Education Act 1996
- ✦ Education and Inspections Act 2006
- ✦ Education (Scotland) Act 1980 ch47
- ✦ Equality Act 2010
- ✦ Health and Safety at Work Act 1974
- ✦ Human Rights Act 1998
- ✦ Mental Capacity Act 2005
- ✦ Mental Capacity Act (Northern Ireland) 2014
- ✦ Mental Health Act 1983
- ✦ Mental Health Act 2007
- ✦ Mental Health (Care and Treatment) (Scotland) Act 2003
- ✦ National Health Service Act 2006 sch 4
- ✦ Protection of Children Act 1999
- ✦ Regulation of Care (Scotland) Act 2001

Statutory instruments

- ✦ Child Care (Scotland) Regulations 1995, SI1995/3256
- ✦ Children (Northern Ireland) Order 1995, SI1995/755
- ✦ Children's Homes (England) Regulations 2015, SI2015/541
- ✦ Children's Homes Regulations (Northern Ireland) 2005, SI2005/176
- ✦ Children's Homes (Wales) Regulations 2002, SI2002/327
- ✦ Education (Northern Ireland) Order 1998, SI1998/274
- ✦ Foster Placement (Children) Regulations (Northern Ireland) 1996, SI1996/467
- ✦ Fostering Services (England) Regulations 2011, SI2011/581
- ✦ Health and Social Care Act 2008 (Regulated Activities) Regulations 2014, SI2014/781
- ✦ Independent Health Care (Wales) Regulations 2011, SI2011/734
- ✦ Local Safeguarding Children's Boards (Wales) Regulations 2006, SI2006/1705
- ✦ Management of Health and Safety at Work Regulations 1999, SI1999/3242
- ✦ Mental Health (Northern Ireland) Order 1986, SI1986/595
- ✦ Nursing Homes Regulations (Northern Ireland) 2005, SI2005/161
- ✦ Regulations of Care (Requirements as to Care Services) (Scotland) Regulations 2002, SI2002/114
- ✦ Regulated Services (Service Providers and Responsible Individuals) (Wales) Regulations; Regulation 29 – The appropriate use of control and restraint 2017, SI2017/1264
- ✦ Regulation (EU) 2016/679 (General Data Protection Regulation) in the current version of the OJ L 119, 04.05.2016; cor. OJ L 127, 23.5.2018. Available at: <https://bit.ly/2v1IOTM> (accessed 21 July 2018)
- ✦ Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013, SI2013/1471
- ✦ Residential Care Homes Regulations (Northern Ireland) 2005, SI2005/161
- ✦ Secure Accommodation (Scotland) Regulations 1996, SI1996/325

DRAFT

Acknowledgements

The completion of the RRN Training Standards would not have been possible without the participation and the assistance of so many people across the sector. Their contributions are sincerely appreciated. We would like to express our deep appreciation particularly to the following:

Authors:

James Ridley, Edge Hill University
Sarah Leitch, BILD

Contributors:

Louise Clark, Kings College London
Tom Evans, Positive Behaviour Support Manager, BILD
Teresa Fenech and **Salli Midgley**, NHS England
Ben Higgins, CEO, BILD
Lee Hollins, Strathclyde University
Sanchita Hosali, The British Institute of Human Rights
Linda Hume, Edinburgh Napier University
Andy Johnston, Andy Johnston Associates, NAPICU
Aji and Conrad Lewis (parents of Seni)
Helen Wildbore, British Institute of Human Rights

Critical readers:

Dave Atkinson, Independent Consultant Nurse
Sue Bailey, Royal College of Psychiatrist
Peter Baker, Tizard
Eric Baskin, Liverpool University
Jim Blair, Great Ormond Street Hospital
Darren Bowring, States of Jersey
Verity Chester, Priory Group
Rina Cianfaglione, University of Southampton
Glyn Connolly, Team Manager, CAMHS
Guy Cross, Care Quality Commission
John Devapriam, Executive Medical Director, Worcester NHS Trust
Roy Deveau, Tizard
Liz Durrant, Director of Mental Health, Certitude
Joy Duxbury, University of Central Lancashire
Ellie Gordon, Health Education England
Rhidian Hughes (VODG)
Ada Hui, Assistant Professor in Mental Health, Nottingham University
Edwin Jones, Abertawe Bro Morgannwg University
Gary LaVigna, IABA
Kevin McKenna, Lecturer, School of Health and Science, Dundalk Institute of Technology, Ireland
Beth Morrison, Founder and CEO, Positive and Active Behaviour Support, Scotland (PABSS)
Ann Norman, Royal College of Nursing
Lord Ramsbottom
Deborah Reading, BILD
Gill Sayers, Mental Health and Learning Development Team, Health Education England
Johnathon Stanley, NCB
Laura Steckley, University of Strathclyde
Johnathon Timbers, Equality and Human Rights Commission

Other members of RRN Steering Group

Organisation (representing)	Proposed name to represent
Professional bodies	
Royal College of Psychiatrists	John Devapriam, Sue Bailey and Amah Shah
Royal College of Nursing	Joy Duxbury, Catherine Gamble, Ada Hui and Dave Atkinson
British Psychological Society	Professor John Taylor
Government departments	
Department of Health	Angela Hawley and Rachel Whittaker
NHS England	Hazel Watson and Teresa Fenech
Department for Education	Chris Ball and Stuart Miller
Health Education England	Tim Devanney and Ray Walker
Clinical Director for LD	Dr Jean O'Hara
ADASS	Helen Toker-Lester
Skills for Care	Sharon Allen
NHSi	Oliver Shanley
Equality and Human Rights Commission	Libby McVeigh
Regulators	
Care Quality Commission	Teresa Joyce and Guy Cross
Ofsted	Matthew Barnes
VCS / Charities	
Mind	Alison Cobb and Leila Reyburn
Respond	Noelle Blackman
British Institute of Human Rights	Sanchita Hosali
Young Minds	Marc Bush
Dementia UK	Hilda Hayo

Lived experience

Parent	Beth Morrison
Lived experience	Iris Benson and Roger Sharp

Service providers

Voluntary Organisation Disability Group	Rhidian Hughes
Certitude	Liz Durrant
Cygnat	Julie Kerry, Director of Nursing
Birmingham and Solihull	Brendan Hayes
South West London Mental Health Trust	Jimmy Noak
South London and Maudsley	Faisal Sethi
Mersey-care	Jennifer Kilcoyne
Northumberland Tyne and Wear	Keith Reid, Psychiatrist
Devon Partnership NHS Trust	Paul Keedwell

Other relevant forums/experts

European network	Brodie Paterson
North London STP	Chris Dziki
NAPICU	Andy Johnston,
European Assoc. for MH in ID	Dr Roger Banks
Caring Solutions	Colin Dale
NHS Confederation Mental Health Network	Sean Duggan
National Collaborating Centre for Mental Health	Tom Ayers
North West AQUA	Paul Greenwood

DRAFT